

CAPACITANCE AND RATED VOLTAGE RANGE (LETTER DENOTES CASE SIZE)

| Capacitance | | Rated Voltage DC (V _r) to 85°C | | | | | | | | |
|-------------|------|--|---|--|---|---|---|---|--|--|
| μF | Code | 2.5V (e) | 4V (G) | 6.3V (J) | 10V (A) | 16V (C) | 20V (D) | 25V (E) | 35V (V) | 50V (T) |
| 0.15 | 154 | | | | | | | | | A(900) |
| 0.22 | 224 | | | | | | | | A(6000) | A(7000) |
| 0.33 | 334 | | | | | | | | A(6000) | A(7000) |
| 0.47 | 474 | | | | | | | A(7000) | A(6000) B(4000) | A(6500), B(6000) C(2300) |
| 0.68 | 684 | | | | | | | A(6000) | A(6000) | B(4000) |
| 1.0 | 105 | | | | R(9000) | A(6200) | A(3000), R(6000) S(6000), T(2000) | A(4000) R(2500,4000) | A(3000) B(2000) | B(3000) C(2500) |
| 1.5 | 155 | | | | | | A(3000) | A(3000) B(1800) | A(3000) B(2500) | C(1500,2000) |
| 2.2 | 225 | | | R(7000) | A(1800) | A(1800,3500) T(2000) | A(3000) B(1700) | A(2500) B(900,1200,2500) | A(1500) B(750,1500, 2000) C(1000) | C(1500) D(1200) |
| 3.3 | 335 | | | A(2100) | T(1500) | A(3500) B(2500) | A(2500) B(1300) | A(1000,1500) B(750,1500,2000) | B(1000) C(700) | C(1000) D(800) |
| 4.7 | 475 | | | S(4000) | A(1400), B(1400) R(3000,5000) | A(2000) B(800,1500) | A(1800) B(750,1000) | B(700,900,1500) C(700) | B(700,1500) C(600, D(700) | C(800) D(250,300,500,700) X(500) |
| 6.8 | 685 | | | A(1800) | A(1800), B(1300) T(1800) | A(1500) B(600,1200) | A(1000) B(600,1000) C(700) | B(700) C(500,600,700) | C(350) D(150,400, 500) | D(200,300, 500,600) |
| 10 | 106 | | R(3000) | A(1500), B(1500) R(1000,1500,3000) T(1000) | A(900,1800), B(1000) P(2000) ^(M) , S(900) T(1000,2000) | A(1000), B(500,800) C(500), T(800,1000) W(500,600) | B(500,1000) C(500,700) W(250, 500) | B(1800) C(300,500) D(500) | C(600) D(125,300) E(100,150,200)Y(250) | D(500) E(250,300, 400,500) |
| 15 | 156 | | | A(700,1500) | A(1000) B(450,600), C(700) T(1200) | B(500,800) C(300,700) | B(500) C(400,450) | C(220,300) D(100,300) | C(350,450) D(100,300) Y(250) | E(250) V(250) |
| 22 | 226 | | | A(300,500,900) B(375,600) C(500), S(900) | A(900) B(400,500,700) C(300), T(800) | B(400,600) C(150,250,300,375) D(700), W(500) | B(400,600) C(100,150,400) D(200,300) | C(275,400) D(100,200,300) F(300) | D(125,200,300,400) E(125,200,300) Y(200) | |
| 33 | 336 | | | A(600) B(250,350,450,600) T(800) | A(700) B(250,425,500,650) C(150,375,500) W(350) | B(350,500) C(100,150,225,300) D(200), W(140,175, 250,400,500) Y(300,400) | C(300) D(100,200) | C(400) D(100,200,300) E(100,175,200,300) F(150,200,400) Y(200) | D(200,300) E(100,250,300) V(200) | |
| 47 | 476 | | A(500) | A(800) B(250,350,500) C(300), T(1200) | B(250,350,500,650) C(200,350) D(100,300) W(125,150,250) | C(110,350) D(80,100,150,200) W(200) X(180), Y(250) | D(75,100,200) E(70,125,150, 200,250), X(200) | D(125,150,250 E(80,100,125) (Y250) | D(300), E(200,250) V(150,200) | |
| 68 | 686 | | | B(250,350,500) C(150,200) W(110,125,250) | B(600) C(80,100,200,300) D(100,150) W(100,150) Y(100,200) | C(125,200) D(70,100,150) F(200), X(150) Y(150,200,250) | D(70,150, 200,300) E(125,150,200) Y(200) | D(150,200,300) E(125,200) V(80,95,150,200) | V(150,200) | |
| 100 | 107 | B(200) | B(200,250, 350,500) T(500) ^(M) W(100) | B(250,400) C(75,150), D(300) W(100,150), Y(100) | B(400) C(75,100,150,200) D(50,65,80,100,125, 150), E(125), W(150) X(85,150,200) Y(100,150,200) | C(200) D(60,100,125,150) E(55,100,125,150) F(150,200) ^(M) Y(100,150,200) | D(85,100,150) E(100,150,200) V(60,85,100,200) | E(150), V(100) | | |
| 150 | 157 | B(150) | B(250) C(70,80) | C(50,90,150,200,250) D(50,125) Y(40,50) | C(150), D(50,85,100) E(100), F(200) X(100) ^(M) Y(100,150,200) | D(60,85,100,125,150) E(50,100), V(45,75) Y(200) ^(M) | V(80) | V(150) ^(M) | | |
| 220 | 227 | B(150, 200,600) D(45) | D(40,50,100) Y(40,50,75) | C(70,100,125,250) D(50,100,125) E(100), F(200) Y(100,150) | D(40,50,100,150) E(50,60,70,100, 125,150) Y(100,150,200) | D(200) ^(M) E(50,100,150) V(50,75,100,150) | | | | |
| 330 | 337 | Y(40) | C(100) D(35,45,100) F(200) X(100) | C(80,100) D(45,50,70,100) E(50,100,125,150) V(100), Y(75,100,150) | D(50,65,100,150) E(40,50,60,100) V(40,60,100) | E(200) ^(M) | | | | |
| 470 | 477 | D(35) F(200) Y(100) | D(45,100) E(35,45,100) | D(45,60,100,200) E(45,50,60,100,200) V(40,55,100), Y(150) | E(45,50,60,100,200) V(40,60,100) | | | | | |
| 680 | 687 | D(35,50) E(35,50) Y(100) | D(45,60,100) E(40,60,100) | E(45,60,100) V(35,40,50) | E(150) ^(M) V(100) ^(M) | | | | | |
| 1000 | 108 | E(30,40) Y(100) ^(M) | E(40,60) V(25,35,40,50) | E(100) ^(M) , V(40,50) ^(M) | | | | | | |
| 1500 | 158 | D(100) E(50) V(30,40) ^(M) | E(50,75) V(50,75) ^(M) | | | | | | | |

Released ratings^(M tolerance only) (ESR ratings in mOhms in parentheses)

NOTE: Voltage ratings are minimum values. KYOCERA AVX reserves the right to supply higher voltage ratings in the same case size, to the same reliability standards.

TPS Series

Low ESR



RATINGS & PART NUMBER REFERENCE

| Part Number | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL Max. (µA) | DF Max. (%) | ESR Max. @ 100kHz (mΩ) | 100kHz RMS Current (A) | | | MSL |
|------------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-------------|------------------------|------------------------|-------|-------|-----------------|
| | | | | | | | | | | 25°C | 85°C | 125°C | |
| 2.5 Volt @ 85°C | | | | | | | | | | | | | |
| TPSB107*002#0200 | B | 100 | 2.5 | 85 | 1.7 | 125 | 2.5 | 8 | 200 | 0.652 | 0.587 | 0.261 | 1 |
| TPSB157*002#0150 | B | 150 | 2.5 | 85 | 1.7 | 125 | 3 | 10 | 150 | 0.753 | 0.677 | 0.301 | 1 |
| TPSB227*002#0150 | B | 220 | 2.5 | 85 | 1.7 | 125 | 4.4 | 16 | 150 | 0.753 | 0.677 | 0.301 | 1 |
| TPSB227*002#0200 | B | 220 | 2.5 | 85 | 1.7 | 125 | 4.4 | 16 | 200 | 0.652 | 0.587 | 0.261 | 1 |
| TPSB227*002#0600 | B | 220 | 2.5 | 85 | 1.7 | 125 | 4.4 | 16 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPSD227*002#0045 | D | 220 | 2.5 | 85 | 1.7 | 125 | 5.5 | 8 | 45 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| TPSY337*002#0040 | Y | 330 | 2.5 | 85 | 1.7 | 125 | 8.2 | 8 | 40 | 1.768 | 1.591 | 0.707 | 1 ¹⁾ |
| TPSD477*002#0035 | D | 470 | 2.5 | 85 | 1.7 | 125 | 11.6 | 8 | 35 | 2.070 | 1.863 | 0.828 | 1 ¹⁾ |
| TPSF477*002#0200 | F | 470 | 2.5 | 85 | 1.7 | 125 | 11.8 | 12 | 200 | 0.707 | 0.636 | 0.283 | 1 |
| TPSY477*002#0100 | Y | 470 | 2.5 | 85 | 1.7 | 125 | 11 | 12 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSD687*002#0035 | D | 680 | 2.5 | 85 | 1.7 | 125 | 17 | 16 | 35 | 2.070 | 1.863 | 0.828 | 1 ¹⁾ |
| TPSD687*002#0050 | D | 680 | 2.5 | 85 | 1.7 | 125 | 17 | 16 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSE687*002#0035 | E | 680 | 2.5 | 85 | 1.7 | 125 | 17 | 10 | 35 | 2.171 | 1.954 | 0.868 | 1 ¹⁾ |
| TPSE687*002#0050 | E | 680 | 2.5 | 85 | 1.7 | 125 | 17 | 10 | 50 | 1.817 | 1.635 | 0.727 | 1 ¹⁾ |
| TPSY687*002#0100 | Y | 680 | 2.5 | 85 | 1.7 | 125 | 17 | 12 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSE108*002#0030 | E | 1000 | 2.5 | 85 | 1.7 | 125 | 25 | 14 | 30 | 2.345 | 2.111 | 0.938 | 1 ¹⁾ |
| TPSE108*002#0040 | E | 1000 | 2.5 | 85 | 1.7 | 125 | 25 | 14 | 40 | 2.031 | 1.828 | 0.812 | 1 ¹⁾ |
| TPSY108M002#0100 | Y | 1000 | 2.5 | 85 | 1.7 | 125 | 25 | 30 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSD158*002#0100 | D | 1500 | 2.5 | 85 | 1.7 | 125 | 37.5 | 60 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSE158*002#0050 | E | 1500 | 2.5 | 85 | 1.7 | 125 | 37.5 | 20 | 50 | 1.817 | 1.635 | 0.727 | 1 ¹⁾ |
| TPSV158M002#0030 | V | 1500 | 2.5 | 85 | 1.7 | 125 | 30 | 20 | 30 | 2.887 | 2.598 | 1.155 | 1 ¹⁾ |
| TPSV158M002#0040 | V | 1500 | 2.5 | 85 | 1.7 | 125 | 30 | 20 | 40 | 2.500 | 2.250 | 1.000 | 1 ¹⁾ |
| 4 Volt @ 85°C | | | | | | | | | | | | | |
| TPSR106*004#3000 | R | 10 | 4 | 85 | 2.7 | 125 | 0.5 | 6 | 3000 | 0.135 | 0.122 | 0.054 | 1 |
| TPSA476*004#0500 | A | 47 | 4 | 85 | 2.7 | 125 | 1.9 | 8 | 500 | 0.387 | 0.349 | 0.155 | 1 |
| TPSB107*004#0200 | B | 100 | 4 | 85 | 2.7 | 125 | 4 | 8 | 200 | 0.652 | 0.587 | 0.261 | 1 |
| TPSB107*004#0250 | B | 100 | 4 | 85 | 2.7 | 125 | 4 | 8 | 250 | 0.583 | 0.525 | 0.233 | 1 |
| TPSB107*004#0350 | B | 100 | 4 | 85 | 2.7 | 125 | 4 | 8 | 350 | 0.493 | 0.444 | 0.197 | 1 |
| TPSB107*004#0500 | B | 100 | 4 | 85 | 2.7 | 125 | 4 | 8 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPST107M004#0500 | T | 100 | 4 | 85 | 2.7 | 125 | 4 | 14 | 500 | 0.400 | 0.360 | 0.160 | 1 |
| TPSW107*004#0100 | W | 100 | 4 | 85 | 2.7 | 125 | 4 | 6 | 100 | 0.949 | 0.854 | 0.379 | 1 |
| TPSB157*004#0250 | B | 150 | 4 | 85 | 2.7 | 125 | 6 | 10 | 250 | 0.583 | 0.525 | 0.233 | 1 |
| TPSC157*004#0070 | C | 150 | 4 | 85 | 2.7 | 125 | 6 | 6 | 70 | 1.254 | 1.128 | 0.501 | 1 |
| TPSC157*004#0080 | C | 150 | 4 | 85 | 2.7 | 125 | 6 | 6 | 80 | 1.173 | 1.055 | 0.469 | 1 |
| TPSD227*004#0040 | D | 220 | 4 | 85 | 2.7 | 125 | 8.8 | 8 | 40 | 1.936 | 1.743 | 0.775 | 1 ¹⁾ |
| TPSD227*004#0050 | D | 220 | 4 | 85 | 2.7 | 125 | 8.8 | 8 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSD227*004#0100 | D | 220 | 4 | 85 | 2.7 | 125 | 8.8 | 8 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSY227*004#0040 | Y | 220 | 4 | 85 | 2.7 | 125 | 8.8 | 8 | 40 | 1.768 | 1.591 | 0.707 | 1 ¹⁾ |
| TPSY227*004#0050 | Y | 220 | 4 | 85 | 2.7 | 125 | 8.8 | 8 | 50 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSY227*004#0075 | Y | 220 | 4 | 85 | 2.7 | 125 | 8.8 | 8 | 75 | 1.291 | 1.162 | 0.516 | 1 ¹⁾ |
| TPSC337*004#0100 | C | 330 | 4 | 85 | 2.7 | 125 | 13.2 | 8 | 100 | 1.049 | 0.944 | 0.420 | 1 |
| TPSD337*004#0035 | D | 330 | 4 | 85 | 2.7 | 125 | 13.2 | 8 | 35 | 2.070 | 1.863 | 0.828 | 1 ¹⁾ |
| TPSD337*004#0045 | D | 330 | 4 | 85 | 2.7 | 125 | 13.2 | 8 | 45 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| TPSD337*004#0100 | D | 330 | 4 | 85 | 2.7 | 125 | 13.2 | 8 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSF337*004#0200 | F | 330 | 4 | 85 | 2.7 | 125 | 13.2 | 10 | 200 | 0.707 | 0.636 | 0.283 | 1 |
| TPSX337*004#0100 | X | 330 | 4 | 85 | 2.7 | 125 | 13.2 | 8 | 100 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSD477*004#0045 | D | 470 | 4 | 85 | 2.7 | 125 | 18.8 | 12 | 45 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| TPSD477*004#0100 | D | 470 | 4 | 85 | 2.7 | 125 | 18.8 | 12 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSE477*004#0035 | E | 470 | 4 | 85 | 2.7 | 125 | 18.8 | 10 | 35 | 2.171 | 1.954 | 0.868 | 1 ¹⁾ |
| TPSE477*004#0045 | E | 470 | 4 | 85 | 2.7 | 125 | 18.8 | 10 | 45 | 1.915 | 1.723 | 0.766 | 1 ¹⁾ |
| TPSE477*004#0100 | E | 470 | 4 | 85 | 2.7 | 125 | 18.8 | 10 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSD687*004#0045 | D | 680 | 4 | 85 | 2.7 | 125 | 27.2 | 14 | 45 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| TPSD687*004#0060 | D | 680 | 4 | 85 | 2.7 | 125 | 27.2 | 14 | 60 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSD687*004#0100 | D | 680 | 4 | 85 | 2.7 | 125 | 27.2 | 14 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSE687*004#0040 | E | 680 | 4 | 85 | 2.7 | 125 | 27.2 | 10 | 40 | 2.031 | 1.828 | 0.812 | 1 ¹⁾ |
| TPSE687*004#0060 | E | 680 | 4 | 85 | 2.7 | 125 | 27.2 | 10 | 60 | 1.658 | 1.492 | 0.663 | 1 ¹⁾ |
| TPSE687*004#0100 | E | 680 | 4 | 85 | 2.7 | 125 | 27.2 | 10 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE108*004#0040 | E | 1000 | 4 | 85 | 2.7 | 125 | 40 | 14 | 40 | 2.031 | 1.828 | 0.812 | 1 ¹⁾ |
| TPSE108*004#0060 | E | 1000 | 4 | 85 | 2.7 | 125 | 40 | 14 | 60 | 1.658 | 1.492 | 0.663 | 1 ¹⁾ |
| TPSV108*004#0025 | V | 1000 | 4 | 85 | 2.7 | 125 | 40 | 16 | 25 | 3.162 | 2.846 | 1.265 | 1 ¹⁾ |
| TPSV108*004#0035 | V | 1000 | 4 | 85 | 2.7 | 125 | 40 | 16 | 35 | 2.673 | 2.405 | 1.069 | 1 ¹⁾ |
| TPSV108*004#0040 | V | 1000 | 4 | 85 | 2.7 | 125 | 40 | 16 | 40 | 2.500 | 2.250 | 1.000 | 1 ¹⁾ |
| TPSV108*004#0050 | V | 1000 | 4 | 85 | 2.7 | 125 | 40 | 16 | 50 | 2.236 | 2.012 | 0.894 | 1 ¹⁾ |
| TPSE158*004#0050 | E | 1500 | 4 | 85 | 2.7 | 125 | 60 | 30 | 50 | 1.817 | 1.635 | 0.727 | 1 ¹⁾ |
| TPSE158*004#0075 | E | 1500 | 4 | 85 | 2.7 | 125 | 60 | 30 | 75 | 1.483 | 1.335 | 0.593 | 1 ¹⁾ |
| TPSV158M004#0050 | V | 1500 | 4 | 85 | 2.7 | 125 | 60 | 30 | 50 | 2.236 | 2.012 | 0.894 | 1 ¹⁾ |
| TPSV158M004#0075 | V | 1500 | 4 | 85 | 2.7 | 125 | 60 | 30 | 75 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| 6.3 Volt @ 85°C | | | | | | | | | | | | | |
| TPSR225*006#7000 | R | 2.2 | 6.3 | 85 | 4 | 125 | 0.5 | 6 | 7000 | 0.089 | 0.080 | 0.035 | 1 |
| TPSA335*006#2100 | A | 3.3 | 6.3 | 85 | 4 | 125 | 0.5 | 6 | 2100 | 0.189 | 0.170 | 0.076 | 1 |
| TPSS475*006#4000 | S | 4.7 | 6.3 | 85 | 4 | 125 | 0.5 | 6 | 4000 | 0.127 | 0.115 | 0.051 | 1 |
| TPSA685*006#1800 | A | 6.8 | 6.3 | 85 | 4 | 125 | 0.5 | 6 | 1800 | 0.204 | 0.184 | 0.082 | 1 |
| TPSA106*006#1500 | A | 10 | 6.3 | 85 | 4 | 125 | 0.6 | 6 | 1500 | 0.224 | 0.201 | 0.089 | 1 |
| TPSB106*006#1500 | B | 10 | 6.3 | 85 | 4 | 125 | 0.6 | 6 | 1500 | 0.238 | 0.214 | 0.095 | 1 |
| TPSR106*006#1000 | R | 10 | 6.3 | 85 | 4 | 125 | 0.6 | 8 | 1000 | 0.235 | 0.211 | 0.094 | 1 |
| TPSR106*006#1500 | R | 10 | 6.3 | 85 | 4 | 125 | 0.6 | 8 | 1500 | 0.191 | 0.172 | 0.077 | 1 |
| TPSR106*006#3000 | R | 10 | 6.3 | 85 | 4 | 125 | 0.6 | 8 | 3000 | 0.135 | 0.122 | 0.054 | 1 |
| TPST106*006#1000 | T | 10 | 6.3 | 85 | 4 | 125 | 0.6 | 6 | 1000 | 0.283 | 0.255 | 0.113 | 1 |
| TPSA156*006#0700 | A | 15 | 6.3 | 85 | 4 | 125 | 0.9 | 6 | 700 | 0.327 | 0.295 | 0.131 | 1 |
| TPSA156*006#1500 | A | 15 | 6.3 | 85 | 4 | 125 | 0.9 | 6 | 1500 | 0.224 | 0.201 | 0.089 | 1 |
| TPSA226*006#0300 | A | 22 | 6.3 | 85 | 4 | 125 | 1.4 | 6 | 300 | 0.500 | 0.450 | 0.200 | 1 |

RATINGS & PART NUMBER REFERENCE

| Part Number | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL Max. (µA) | DF Max. (%) | ESR Max. @ 100kHz (mΩ) | 100kHz RMS Current (A) | | | MSL |
|------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-------------|------------------------|------------------------|-------|-------|-----------------|
| | | | | | | | | | | 25°C | 85°C | 125°C | |
| TPSA226*006#0500 | A | 22 | 6.3 | 85 | 4 | 125 | 1.4 | 6 | 500 | 0.387 | 0.349 | 0.155 | 1 |
| TPSA226*006#0900 | A | 22 | 6.3 | 85 | 4 | 125 | 1.4 | 6 | 900 | 0.289 | 0.260 | 0.115 | 1 |
| TPSB226*006#0375 | B | 22 | 6.3 | 85 | 4 | 125 | 1.4 | 6 | 375 | 0.476 | 0.428 | 0.190 | 1 |
| TPSB226*006#0600 | B | 22 | 6.3 | 85 | 4 | 125 | 1.4 | 6 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPSC226*006#0500 | C | 22 | 6.3 | 85 | 4 | 125 | 1.4 | 6 | 500 | 0.469 | 0.422 | 0.188 | 1 |
| TPSS226*006#0900 | S | 22 | 6.3 | 85 | 4 | 125 | 1.3 | 10 | 900 | 0.269 | 0.242 | 0.107 | 1 |
| TPSA336*006#0600 | A | 33 | 6.3 | 85 | 4 | 125 | 2.1 | 8 | 600 | 0.354 | 0.318 | 0.141 | 1 |
| TPSB336*006#0250 | B | 33 | 6.3 | 85 | 4 | 125 | 2.1 | 6 | 250 | 0.583 | 0.525 | 0.233 | 1 |
| TPSB336*006#0350 | B | 33 | 6.3 | 85 | 4 | 125 | 2.1 | 6 | 350 | 0.493 | 0.444 | 0.197 | 1 |
| TPSB336*006#0450 | B | 33 | 6.3 | 85 | 4 | 125 | 2.1 | 6 | 450 | 0.435 | 0.391 | 0.174 | 1 |
| TPSB336*006#0600 | B | 33 | 6.3 | 85 | 4 | 125 | 2.1 | 6 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPST336*006#0800 | T | 33 | 6.3 | 85 | 4 | 125 | 2.1 | 10 | 800 | 0.316 | 0.285 | 0.126 | 1 |
| TPSA476*006#0800 | A | 47 | 6.3 | 85 | 4 | 125 | 2.8 | 10 | 800 | 0.306 | 0.276 | 0.122 | 1 |
| TPSB476*006#0250 | B | 47 | 6.3 | 85 | 4 | 125 | 3 | 6 | 250 | 0.583 | 0.525 | 0.233 | 1 |
| TPSB476*006#0350 | B | 47 | 6.3 | 85 | 4 | 125 | 3 | 6 | 350 | 0.493 | 0.444 | 0.197 | 1 |
| TPSB476*006#0500 | B | 47 | 6.3 | 85 | 4 | 125 | 3 | 6 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSC476*006#0300 | C | 47 | 6.3 | 85 | 4 | 125 | 3 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPST476*006#1200 | T | 47 | 6.3 | 85 | 4 | 125 | 2.8 | 10 | 1200 | 0.258 | 0.232 | 0.103 | 1 |
| TPSB686*006#0250 | B | 68 | 6.3 | 85 | 4 | 125 | 4 | 8 | 250 | 0.583 | 0.525 | 0.233 | 1 |
| TPSB686*006#0350 | B | 68 | 6.3 | 85 | 4 | 125 | 4 | 8 | 350 | 0.493 | 0.444 | 0.197 | 1 |
| TPSB686*006#0500 | B | 68 | 6.3 | 85 | 4 | 125 | 4 | 8 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSC686*006#0150 | C | 68 | 6.3 | 85 | 4 | 125 | 4.3 | 6 | 150 | 0.856 | 0.771 | 0.343 | 1 |
| TPSC686*006#0200 | C | 68 | 6.3 | 85 | 4 | 125 | 4.3 | 6 | 200 | 0.742 | 0.667 | 0.297 | 1 |
| TPSW686*006#0110 | W | 68 | 6.3 | 85 | 4 | 125 | 4.3 | 6 | 110 | 0.905 | 0.814 | 0.362 | 1 |
| TPSW686*006#0125 | W | 68 | 6.3 | 85 | 4 | 125 | 4.3 | 6 | 125 | 0.849 | 0.764 | 0.339 | 1 |
| TPSW686*006#0250 | W | 68 | 6.3 | 85 | 4 | 125 | 4.3 | 6 | 250 | 0.600 | 0.540 | 0.240 | 1 |
| TPSB107*006#0250 | B | 100 | 6.3 | 85 | 4 | 125 | 6.3 | 10 | 250 | 0.583 | 0.525 | 0.233 | 1 |
| TPSB107*006#0400 | B | 100 | 6.3 | 85 | 4 | 125 | 6.3 | 10 | 400 | 0.461 | 0.415 | 0.184 | 1 |
| TPSC107*006#0075 | C | 100 | 6.3 | 85 | 4 | 125 | 6.3 | 6 | 75 | 1.211 | 1.090 | 0.484 | 1 |
| TPSC107*006#0150 | C | 100 | 6.3 | 85 | 4 | 125 | 6.3 | 6 | 150 | 0.856 | 0.771 | 0.343 | 1 |
| TPSD107*006#0300 | D | 100 | 6.3 | 85 | 4 | 125 | 6.3 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSW107*006#0100 | W | 100 | 6.3 | 85 | 4 | 125 | 6.3 | 6 | 100 | 0.949 | 0.854 | 0.379 | 1 |
| TPSW107*006#0150 | W | 100 | 6.3 | 85 | 4 | 125 | 6.3 | 6 | 150 | 0.775 | 0.697 | 0.310 | 1 |
| TPSY107*006#0100 | Y | 100 | 6.3 | 85 | 4 | 125 | 6.3 | 6 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSC157*006#0050 | C | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 50 | 1.483 | 1.335 | 0.593 | 1 |
| TPSC157*006#0090 | C | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 90 | 1.106 | 0.995 | 0.442 | 1 |
| TPSC157*006#0150 | C | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 150 | 0.856 | 0.771 | 0.343 | 1 |
| TPSC157*006#0200 | C | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 200 | 0.742 | 0.667 | 0.297 | 1 |
| TPSC157*006#0250 | C | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 250 | 0.663 | 0.597 | 0.265 | 1 |
| TPSD157*006#0050 | D | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSD157*006#0125 | D | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 125 | 1.095 | 0.986 | 0.438 | 1 ¹⁾ |
| TPSY157*006#0040 | Y | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 40 | 1.768 | 1.591 | 0.707 | 1 ¹⁾ |
| TPSY157*006#0050 | Y | 150 | 6.3 | 85 | 4 | 125 | 9.5 | 6 | 50 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSC227*006#0070 | C | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 70 | 1.254 | 1.128 | 0.501 | 1 |
| TPSC227*006#0100 | C | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 100 | 1.049 | 0.944 | 0.420 | 1 |
| TPSC227*006#0125 | C | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 125 | 0.938 | 0.844 | 0.375 | 1 |
| TPSC227*006#0250 | C | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 250 | 0.663 | 0.597 | 0.265 | 1 |
| TPSD227*006#0050 | D | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSD227*006#0100 | D | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD227*006#0125 | D | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 125 | 1.095 | 0.986 | 0.438 | 1 ¹⁾ |
| TPSE227*006#0100 | E | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSF227*006#0200 | F | 220 | 6.3 | 85 | 4 | 125 | 13.2 | 10 | 200 | 0.707 | 0.636 | 0.283 | 1 |
| TPSY227*006#0100 | Y | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSY227*006#0150 | Y | 220 | 6.3 | 85 | 4 | 125 | 13.9 | 8 | 150 | 0.913 | 0.822 | 0.365 | 1 ¹⁾ |
| TPSC337*006#0080 | C | 330 | 6.3 | 85 | 4 | 125 | 19.8 | 12 | 80 | 1.173 | 1.055 | 0.469 | 1 |
| TPSC337*006#0100 | C | 330 | 6.3 | 85 | 4 | 125 | 19.8 | 12 | 100 | 1.049 | 0.944 | 0.420 | 1 |
| TPSD337*006#0045 | D | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 45 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| TPSD337*006#0050 | D | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSD337*006#0070 | D | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 70 | 1.464 | 1.317 | 0.586 | 1 ¹⁾ |
| TPSD337*006#0100 | D | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSE337*006#0050 | E | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 50 | 1.817 | 1.635 | 0.727 | 1 ¹⁾ |
| TPSE337*006#0100 | E | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE337*006#0125 | E | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSE337*006#0150 | E | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 150 | 1.049 | 0.944 | 0.420 | 1 ¹⁾ |
| TPSV337*006#0100 | V | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 8 | 100 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSY337*006#0075 | Y | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 12 | 75 | 1.291 | 1.162 | 0.516 | 1 ¹⁾ |
| TPSY337*006#0100 | Y | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 12 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSY337*006#0150 | Y | 330 | 6.3 | 85 | 4 | 125 | 20.8 | 12 | 150 | 0.913 | 0.822 | 0.365 | 1 ¹⁾ |
| TPSD477*006#0045 | D | 470 | 6.3 | 85 | 4 | 125 | 28 | 12 | 45 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| TPSD477*006#0060 | D | 470 | 6.3 | 85 | 4 | 125 | 28 | 12 | 60 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSD477*006#0100 | D | 470 | 6.3 | 85 | 4 | 125 | 28 | 12 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD477*006#0200 | D | 470 | 6.3 | 85 | 4 | 125 | 28 | 12 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSE477*006#0045 | E | 470 | 6.3 | 85 | 4 | 125 | 28 | 10 | 45 | 1.915 | 1.723 | 0.766 | 1 ¹⁾ |
| TPSE477*006#0050 | E | 470 | 6.3 | 85 | 4 | 125 | 28 | 10 | 50 | 1.817 | 1.635 | 0.727 | 1 ¹⁾ |
| TPSE477*006#0060 | E | 470 | 6.3 | 85 | 4 | 125 | 28 | 10 | 60 | 1.658 | 1.492 | 0.663 | 1 ¹⁾ |
| TPSE477*006#0100 | E | 470 | 6.3 | 85 | 4 | 125 | 28 | 10 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE477*006#0200 | E | 470 | 6.3 | 85 | 4 | 125 | 28 | 10 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSV477*006#0040 | V | 470 | 6.3 | 85 | 4 | 125 | 28 | 10 | 40 | 2.500 | 2.250 | 1.000 | 1 ¹⁾ |
| TPSV477*006#0055 | V | 470 | 6.3 | 85 | 4 | 125 | 28 | 10 | 55 | 2.132 | 1.919 | 0.853 | 1 ¹⁾ |
| TPSV477*006#0100 | V | 470 | 6.3 | 85 | 4 | 125 | 28 | 10 | 100 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSY477*006#0150 | Y | 470 | 6.3 | 85 | 4 | 125 | 28.2 | 20 | 150 | 0.913 | 0.822 | 0.365 | 1 ¹⁾ |
| TPSE687*006#0045 | E | 680 | 6.3 | 85 | 4 | 125 | 42.8 | 10 | 45 | 1.915 | 1.723 | 0.766 | 1 ¹⁾ |
| TPSE687*006#0060 | E | 680 | 6.3 | 85 | 4 | 125 | 42.8 | 10 | 60 | 1.658 | 1.492 | 0.663 | 1 ¹⁾ |
| TPSE687*006#0100 | E | 680 | 6.3 | 85 | 4 | 125 | 42.8 | 10 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |

RATINGS & PART NUMBER REFERENCE

| Part Number | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL Max. (µA) | DF Max. (%) | ESR Max. @ 100kHz (mΩ) | 100kHz RMS Current (A) | | | MSL |
|------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-------------|------------------------|------------------------|-------|-------|-----------------|
| | | | | | | | | | | 25°C | 85°C | 125°C | |
| TPSV687*006#0035 | V | 680 | 6.3 | 85 | 4 | 125 | 42.8 | 10 | 35 | 2.673 | 2.405 | 1.069 | 1 ¹⁾ |
| TPSV687*006#0040 | V | 680 | 6.3 | 85 | 4 | 125 | 42.8 | 10 | 40 | 2.500 | 2.250 | 1.000 | 1 ¹⁾ |
| TPSV687*006#0050 | V | 680 | 6.3 | 85 | 4 | 125 | 42.8 | 10 | 50 | 2.236 | 2.012 | 0.894 | 1 ¹⁾ |
| TPSE108M006#0100 | E | 1000 | 6.3 | 85 | 4 | 125 | 60 | 20 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSV108M006#0040 | V | 1000 | 6.3 | 85 | 4 | 125 | 60 | 16 | 40 | 2.500 | 2.250 | 1.000 | 1 ¹⁾ |
| TPSV108M006#0050 | V | 1000 | 6.3 | 85 | 4 | 125 | 60 | 16 | 50 | 2.236 | 2.012 | 0.894 | 1 ¹⁾ |
| 10 Volt @ 85°C | | | | | | | | | | | | | |
| TPSR105*010#9000 | R | 1 | 10 | 85 | 7 | 125 | 0.5 | 4 | 9000 | 0.078 | 0.070 | 0.031 | 1 |
| TPSA225*010#1800 | A | 2.2 | 10 | 85 | 7 | 125 | 0.5 | 6 | 1800 | 0.204 | 0.184 | 0.082 | 1 |
| TPST335*010#1500 | T | 3.3 | 10 | 85 | 7 | 125 | 0.5 | 6 | 1500 | 0.231 | 0.208 | 0.092 | 1 |
| TPSA475*010#1400 | A | 4.7 | 10 | 85 | 7 | 125 | 0.5 | 6 | 1400 | 0.231 | 0.208 | 0.093 | 1 |
| TPSB475*010#1400 | B | 4.7 | 10 | 85 | 7 | 125 | 0.5 | 6 | 1400 | 0.246 | 0.222 | 0.099 | 1 |
| TPSR475*010#3000 | R | 4.7 | 10 | 85 | 7 | 125 | 0.5 | 6 | 3000 | 0.135 | 0.122 | 0.054 | 1 |
| TPSR475*010#5000 | R | 4.7 | 10 | 85 | 7 | 125 | 0.5 | 6 | 5000 | 0.105 | 0.094 | 0.042 | 1 |
| TPSA685*010#1800 | A | 6.8 | 10 | 85 | 7 | 125 | 0.7 | 6 | 1800 | 0.204 | 0.184 | 0.082 | 1 |
| TPSB685*010#1300 | B | 6.8 | 10 | 85 | 7 | 125 | 0.7 | 6 | 1300 | 0.256 | 0.230 | 0.102 | 1 |
| TPST685*010#1800 | T | 6.8 | 10 | 85 | 7 | 125 | 0.7 | 6 | 1800 | 0.211 | 0.190 | 0.084 | 1 |
| TPSA106*010#0900 | A | 10 | 10 | 85 | 7 | 125 | 1 | 6 | 900 | 0.289 | 0.260 | 0.115 | 1 |
| TPSA106*010#1800 | A | 10 | 10 | 85 | 7 | 125 | 1 | 6 | 1800 | 0.204 | 0.184 | 0.082 | 1 |
| TPSB106*010#1000 | B | 10 | 10 | 85 | 7 | 125 | 1 | 6 | 1000 | 0.292 | 0.262 | 0.117 | 1 |
| TPSP106M010#2000 | P | 10 | 10 | 85 | 7 | 125 | 1 | 8 | 2000 | 0.173 | 0.156 | 0.069 | 1 |
| TPSS106*010#0900 | S | 10 | 10 | 85 | 7 | 125 | 1 | 8 | 900 | 0.269 | 0.242 | 0.107 | 1 |
| TPST106*010#1000 | T | 10 | 10 | 85 | 7 | 125 | 1 | 6 | 1000 | 0.283 | 0.255 | 0.113 | 1 |
| TPST106*010#2000 | T | 10 | 10 | 85 | 7 | 125 | 1 | 6 | 2000 | 0.200 | 0.180 | 0.080 | 1 |
| TPSA156*010#1000 | A | 15 | 10 | 85 | 7 | 125 | 1.5 | 6 | 1000 | 0.274 | 0.246 | 0.110 | 1 |
| TPSB156*010#0450 | B | 15 | 10 | 85 | 7 | 125 | 1.5 | 6 | 450 | 0.435 | 0.391 | 0.174 | 1 |
| TPSB156*010#0600 | B | 15 | 10 | 85 | 7 | 125 | 1.5 | 6 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPSC156*010#0700 | C | 15 | 10 | 85 | 7 | 125 | 1.5 | 6 | 700 | 0.396 | 0.357 | 0.159 | 1 |
| TPST156*010#1200 | T | 15 | 10 | 85 | 7 | 125 | 1.5 | 8 | 1200 | 0.258 | 0.232 | 0.103 | 1 |
| TPSA226*010#0900 | A | 22 | 10 | 85 | 7 | 125 | 2.2 | 8 | 900 | 0.289 | 0.260 | 0.115 | 1 |
| TPSB226*010#0400 | B | 22 | 10 | 85 | 7 | 125 | 2.2 | 6 | 400 | 0.461 | 0.415 | 0.184 | 1 |
| TPSB226*010#0500 | B | 22 | 10 | 85 | 7 | 125 | 2.2 | 6 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSB226*010#0700 | B | 22 | 10 | 85 | 7 | 125 | 2.2 | 6 | 700 | 0.348 | 0.314 | 0.139 | 1 |
| TPSC226*010#0300 | C | 22 | 10 | 85 | 7 | 125 | 2.2 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPST226*010#0800 | T | 22 | 10 | 85 | 7 | 125 | 2.2 | 8 | 800 | 0.316 | 0.285 | 0.126 | 1 |
| TPSA336*010#0700 | A | 33 | 10 | 85 | 7 | 125 | 3.3 | 8 | 700 | 0.327 | 0.295 | 0.131 | 1 |
| TPSB336*010#0250 | B | 33 | 10 | 85 | 7 | 125 | 3.3 | 6 | 250 | 0.583 | 0.525 | 0.233 | 1 |
| TPSB336*010#0425 | B | 33 | 10 | 85 | 7 | 125 | 3.3 | 6 | 425 | 0.447 | 0.402 | 0.179 | 1 |
| TPSB336*010#0500 | B | 33 | 10 | 85 | 7 | 125 | 3.3 | 6 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSB336*010#0650 | B | 33 | 10 | 85 | 7 | 125 | 3.3 | 6 | 650 | 0.362 | 0.325 | 0.145 | 1 |
| TPSC336*010#0150 | C | 33 | 10 | 85 | 7 | 125 | 3.3 | 6 | 150 | 0.856 | 0.771 | 0.343 | 1 |
| TPSC336*010#0375 | C | 33 | 10 | 85 | 7 | 125 | 3.3 | 6 | 375 | 0.542 | 0.487 | 0.217 | 1 |
| TPSC336*010#0500 | C | 33 | 10 | 85 | 7 | 125 | 3.3 | 6 | 500 | 0.469 | 0.422 | 0.188 | 1 |
| TPSW336*010#0350 | W | 33 | 10 | 85 | 7 | 125 | 3.3 | 6 | 350 | 0.507 | 0.456 | 0.203 | 1 |
| TPSB476*010#0250 | B | 47 | 10 | 85 | 7 | 125 | 4.7 | 8 | 250 | 0.583 | 0.525 | 0.233 | 1 |
| TPSB476*010#0350 | B | 47 | 10 | 85 | 7 | 125 | 4.7 | 8 | 350 | 0.493 | 0.444 | 0.197 | 1 |
| TPSB476*010#0500 | B | 47 | 10 | 85 | 7 | 125 | 4.7 | 8 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSB476*010#0650 | B | 47 | 10 | 85 | 7 | 125 | 4.7 | 8 | 650 | 0.362 | 0.325 | 0.145 | 1 |
| TPSC476*010#0200 | C | 47 | 10 | 85 | 7 | 125 | 4.7 | 6 | 200 | 0.742 | 0.667 | 0.297 | 1 |
| TPSC476*010#0350 | C | 47 | 10 | 85 | 7 | 125 | 4.7 | 6 | 350 | 0.561 | 0.505 | 0.224 | 1 |
| TPSD476*010#0100 | D | 47 | 10 | 85 | 7 | 125 | 4.7 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD476*010#0300 | D | 47 | 10 | 85 | 7 | 125 | 4.7 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSW476*010#0125 | W | 47 | 10 | 85 | 7 | 125 | 4.7 | 6 | 125 | 0.849 | 0.764 | 0.339 | 1 |
| TPSW476*010#0150 | W | 47 | 10 | 85 | 7 | 125 | 4.7 | 6 | 150 | 0.775 | 0.697 | 0.310 | 1 |
| TPSW476*010#0250 | W | 47 | 10 | 85 | 7 | 125 | 4.7 | 6 | 250 | 0.600 | 0.540 | 0.240 | 1 |
| TPSB686*010#0600 | B | 68 | 10 | 85 | 7 | 125 | 6.8 | 8 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPSC686*010#0080 | C | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 80 | 1.173 | 1.055 | 0.469 | 1 |
| TPSC686*010#0100 | C | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 100 | 1.049 | 0.944 | 0.420 | 1 |
| TPSC686*010#0200 | C | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 200 | 0.742 | 0.667 | 0.297 | 1 |
| TPSC686*010#0300 | C | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPSD686*010#0100 | D | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD686*010#0150 | D | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSY686*010#0100 | Y | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSY686*010#0200 | Y | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSW686*010#0100 | W | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 100 | 0.949 | 0.854 | 0.379 | 1 |
| TPSW686*010#0150 | W | 68 | 10 | 85 | 7 | 125 | 6.8 | 6 | 150 | 0.775 | 0.697 | 0.310 | 1 |
| TPSB107*010#0400 | B | 100 | 10 | 85 | 7 | 125 | 10 | 8 | 400 | 0.461 | 0.415 | 0.184 | 1 |
| TPSC107*010#0075 | C | 100 | 10 | 85 | 7 | 125 | 10 | 8 | 75 | 1.211 | 1.090 | 0.484 | 1 |
| TPSC107*010#0100 | C | 100 | 10 | 85 | 7 | 125 | 10 | 8 | 100 | 1.049 | 0.944 | 0.420 | 1 |
| TPSC107*010#0150 | C | 100 | 10 | 85 | 7 | 125 | 10 | 8 | 150 | 0.856 | 0.771 | 0.343 | 1 |
| TPSC107*010#0200 | C | 100 | 10 | 85 | 7 | 125 | 10 | 8 | 200 | 0.742 | 0.667 | 0.297 | 1 |
| TPSD107*010#0050 | D | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSD107*010#0065 | D | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 65 | 1.519 | 1.367 | 0.608 | 1 ¹⁾ |
| TPSD107*010#0080 | D | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 80 | 1.369 | 1.232 | 0.548 | 1 ¹⁾ |
| TPSD107*010#0100 | D | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD107*010#0125 | D | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 125 | 1.095 | 0.986 | 0.438 | 1 ¹⁾ |
| TPSD107*010#0150 | D | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSE107*010#0125 | E | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSW107*010#0150 | W | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 150 | 0.775 | 0.697 | 0.310 | 1 |
| TPSX107*010#0085 | X | 100 | 10 | 85 | 7 | 125 | 10 | 8 | 85 | 1.085 | 0.976 | 0.434 | 1 ¹⁾ |
| TPSX107*010#0150 | X | 100 | 10 | 85 | 7 | 125 | 10 | 8 | 150 | 0.816 | 0.735 | 0.327 | 1 ¹⁾ |
| TPSX107*010#0200 | X | 100 | 10 | 85 | 7 | 125 | 10 | 8 | 200 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSY107*010#0100 | Y | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |

RATINGS & PART NUMBER REFERENCE

| Part Number | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL Max. (µA) | DF Max. (%) | ESR Max. @ 100kHz (mΩ) | 100kHz RMS Current (A) | | | MSL |
|-----------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-------------|------------------------|------------------------|-------|-------|-----------------|
| | | | | | | | | | | 25°C | 85°C | 125°C | |
| TPSY107*010#0150 | Y | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 150 | 0.913 | 0.822 | 0.365 | 1 ¹⁾ |
| TPSY107*010#0200 | Y | 100 | 10 | 85 | 7 | 125 | 10 | 6 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSC157*010#0150 | C | 150 | 10 | 85 | 7 | 125 | 15 | 8 | 150 | 0.856 | 0.771 | 0.343 | 1 |
| TPSD157*010#0050 | D | 150 | 10 | 85 | 7 | 125 | 15 | 8 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSD157*010#0085 | D | 150 | 10 | 85 | 7 | 125 | 15 | 8 | 85 | 1.328 | 1.196 | 0.531 | 1 ¹⁾ |
| TPSD157*010#0100 | D | 150 | 10 | 85 | 7 | 125 | 15 | 8 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSE157*010#0100 | E | 150 | 10 | 85 | 7 | 125 | 15 | 8 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSF157*010#0200 | F | 150 | 10 | 85 | 7 | 125 | 15 | 10 | 200 | 0.707 | 0.636 | 0.283 | 1 |
| TPSX157M010#0100 | X | 150 | 10 | 85 | 7 | 125 | 15 | 6 | 100 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSY157*010#0100 | Y | 150 | 10 | 85 | 7 | 125 | 15 | 6 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSY157*010#0150 | Y | 150 | 10 | 85 | 7 | 125 | 15 | 6 | 150 | 0.913 | 0.822 | 0.365 | 1 ¹⁾ |
| TPSY157*010#0200 | Y | 150 | 10 | 85 | 7 | 125 | 15 | 6 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSD227*010#0040 | D | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 40 | 1.936 | 1.743 | 0.775 | 1 ¹⁾ |
| TPSD227*010#0050 | D | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSD227*010#0100 | D | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD227*010#0150 | D | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSE227*010#0050 | E | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 50 | 1.817 | 1.635 | 0.727 | 1 ¹⁾ |
| TPSE227*010#0060 | E | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 60 | 1.658 | 1.492 | 0.663 | 1 ¹⁾ |
| TPSE227*010#0070 | E | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 70 | 1.535 | 1.382 | 0.614 | 1 ¹⁾ |
| TPSE227*010#0100 | E | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE227*010#0125 | E | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSE227*010#0150 | E | 220 | 10 | 85 | 7 | 125 | 22 | 8 | 150 | 1.049 | 0.944 | 0.420 | 1 ¹⁾ |
| TPSY227*010#0100 | Y | 220 | 10 | 85 | 7 | 125 | 22 | 10 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSY227*010#0150 | Y | 220 | 10 | 85 | 7 | 125 | 22 | 10 | 150 | 0.913 | 0.822 | 0.365 | 1 ¹⁾ |
| TPSY227*010#0200 | Y | 220 | 10 | 85 | 7 | 125 | 22 | 10 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSD337*010#0050 | D | 330 | 10 | 85 | 7 | 125 | 33 | 8 | 50 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSD337*010#0065 | D | 330 | 10 | 85 | 7 | 125 | 33 | 8 | 65 | 1.519 | 1.367 | 0.608 | 1 ¹⁾ |
| TPSD337*010#0100 | D | 330 | 10 | 85 | 7 | 125 | 33 | 8 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD337*010#0150 | D | 330 | 10 | 85 | 7 | 125 | 33 | 8 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSE337*010#0040 | E | 330 | 10 | 85 | 7 | 125 | 33 | 8 | 40 | 2.031 | 1.828 | 0.812 | 1 ¹⁾ |
| TPSE337*010#0050 | E | 330 | 10 | 85 | 7 | 125 | 33 | 8 | 50 | 1.817 | 1.635 | 0.727 | 1 ¹⁾ |
| TPSE337*010#0060 | E | 330 | 10 | 85 | 7 | 125 | 33 | 8 | 60 | 1.658 | 1.492 | 0.663 | 1 ¹⁾ |
| TPSE337*010#0100 | E | 330 | 10 | 85 | 7 | 125 | 33 | 8 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSV337*010#0040 | V | 330 | 10 | 85 | 7 | 125 | 33 | 10 | 40 | 2.500 | 2.250 | 1.000 | 1 ¹⁾ |
| TPSV337*010#0060 | V | 330 | 10 | 85 | 7 | 125 | 33 | 10 | 60 | 2.041 | 1.837 | 0.816 | 1 ¹⁾ |
| TPSV337*010#0100 | V | 330 | 10 | 85 | 7 | 125 | 33 | 10 | 100 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSE477*010#0045 | E | 470 | 10 | 85 | 7 | 125 | 47 | 10 | 45 | 1.915 | 1.723 | 0.766 | 1 ¹⁾ |
| TPSE477*010#0050 | E | 470 | 10 | 85 | 7 | 125 | 47 | 10 | 50 | 1.817 | 1.635 | 0.727 | 1 ¹⁾ |
| TPSE477*010#0060 | E | 470 | 10 | 85 | 7 | 125 | 47 | 10 | 60 | 1.658 | 1.492 | 0.663 | 1 ¹⁾ |
| TPSE477*010#0100 | E | 470 | 10 | 85 | 7 | 125 | 47 | 10 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE477*010#0200 | E | 470 | 10 | 85 | 7 | 125 | 47 | 10 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSV477*010#0040 | V | 470 | 10 | 85 | 7 | 125 | 47 | 10 | 40 | 2.500 | 2.250 | 1.000 | 1 ¹⁾ |
| TPSV477*010#0060 | V | 470 | 10 | 85 | 7 | 125 | 47 | 10 | 60 | 2.041 | 1.837 | 0.816 | 1 ¹⁾ |
| TPSV477*010#0100 | V | 470 | 10 | 85 | 7 | 125 | 47 | 10 | 100 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSE687M010#0150V | E | 680 | 10 | 85 | 7 | 125 | 68 | 18 | 150 | 1.049 | 0.944 | 0.420 | 3 |
| TPSV687M010#0100V | V | 680 | 10 | 85 | 7 | 125 | 68 | 18 | 100 | 1.581 | 1.423 | 0.632 | 3 |
| 16 Volt @ 85°C | | | | | | | | | | | | | |
| TPSA105*016#6200 | A | 1 | 16 | 85 | 10 | 125 | 0.5 | 4 | 6200 | 0.110 | 0.099 | 0.044 | 1 |
| TPSA225*016#1800 | A | 2.2 | 16 | 85 | 10 | 125 | 0.5 | 6 | 1800 | 0.204 | 0.184 | 0.082 | 1 |
| TPSA225*016#3500 | A | 2.2 | 16 | 85 | 10 | 125 | 0.5 | 6 | 3500 | 0.146 | 0.132 | 0.059 | 1 |
| TPST225*016#2000 | T | 2.2 | 16 | 85 | 10 | 125 | 0.5 | 6 | 2000 | 0.200 | 0.180 | 0.080 | 1 |
| TPSA335*016#3500 | A | 3.3 | 16 | 85 | 10 | 125 | 0.5 | 6 | 3500 | 0.146 | 0.132 | 0.059 | 1 |
| TPSB335*016#2500 | B | 3.3 | 16 | 85 | 10 | 125 | 0.5 | 6 | 2500 | 0.184 | 0.166 | 0.074 | 1 |
| TPSA475*016#2000 | A | 4.7 | 16 | 85 | 10 | 125 | 0.8 | 6 | 2000 | 0.194 | 0.174 | 0.077 | 1 |
| TPSB475*016#0800 | B | 4.7 | 16 | 85 | 10 | 125 | 0.8 | 6 | 800 | 0.326 | 0.293 | 0.130 | 1 |
| TPSB475*016#1500 | B | 4.7 | 16 | 85 | 10 | 125 | 0.8 | 6 | 1500 | 0.238 | 0.214 | 0.095 | 1 |
| TPSA685*016#1500 | A | 6.8 | 16 | 85 | 10 | 125 | 1.1 | 6 | 1500 | 0.224 | 0.201 | 0.089 | 1 |
| TPSB685*016#0600 | B | 6.8 | 16 | 85 | 10 | 125 | 1.1 | 6 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPSB685*016#1200 | B | 6.8 | 16 | 85 | 10 | 125 | 1.1 | 6 | 1200 | 0.266 | 0.240 | 0.106 | 1 |
| TPSA106*016#1000 | A | 10 | 16 | 85 | 10 | 125 | 1.6 | 6 | 1000 | 0.274 | 0.246 | 0.110 | 1 |
| TPSB106*016#0500 | B | 10 | 16 | 85 | 10 | 125 | 1.6 | 6 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSB106*016#0800 | B | 10 | 16 | 85 | 10 | 125 | 1.6 | 6 | 800 | 0.326 | 0.293 | 0.130 | 1 |
| TPSC106*016#0500 | C | 10 | 16 | 85 | 10 | 125 | 1.6 | 6 | 500 | 0.469 | 0.422 | 0.188 | 1 |
| TPST106*016#0800 | T | 10 | 16 | 85 | 10 | 125 | 1.6 | 8 | 800 | 0.316 | 0.285 | 0.126 | 1 |
| TPST106*016#1000 | T | 10 | 16 | 85 | 10 | 125 | 1.6 | 8 | 1000 | 0.283 | 0.255 | 0.113 | 1 |
| TPSW106*016#0500 | W | 10 | 16 | 85 | 10 | 125 | 1.6 | 6 | 500 | 0.424 | 0.382 | 0.170 | 1 |
| TPSW106*016#0600 | W | 10 | 16 | 85 | 10 | 125 | 1.6 | 6 | 600 | 0.387 | 0.349 | 0.155 | 1 |
| TPSB156*016#0500 | B | 15 | 16 | 85 | 10 | 125 | 2.4 | 6 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSB156*016#0800 | B | 15 | 16 | 85 | 10 | 125 | 2.4 | 6 | 800 | 0.326 | 0.293 | 0.130 | 1 |
| TPSC156*016#0300 | C | 15 | 16 | 85 | 10 | 125 | 2.4 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPSC156*016#0700 | C | 15 | 16 | 85 | 10 | 125 | 2.4 | 6 | 700 | 0.396 | 0.357 | 0.159 | 1 |
| TPSB226*016#0400 | B | 22 | 16 | 85 | 10 | 125 | 3.5 | 6 | 400 | 0.461 | 0.415 | 0.184 | 1 |
| TPSB226*016#0600 | B | 22 | 16 | 85 | 10 | 125 | 3.5 | 6 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPSC226*016#0150 | C | 22 | 16 | 85 | 10 | 125 | 3.5 | 6 | 150 | 0.856 | 0.771 | 0.343 | 1 |
| TPSC226*016#0250 | C | 22 | 16 | 85 | 10 | 125 | 3.5 | 6 | 250 | 0.663 | 0.597 | 0.265 | 1 |
| TPSC226*016#0300 | C | 22 | 16 | 85 | 10 | 125 | 3.5 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPSC226*016#0375 | C | 22 | 16 | 85 | 10 | 125 | 3.5 | 6 | 375 | 0.542 | 0.487 | 0.217 | 1 |
| TPSD226*016#0700 | D | 22 | 16 | 85 | 10 | 125 | 3.5 | 6 | 700 | 0.463 | 0.417 | 0.185 | 1 ¹⁾ |
| TPSW226*016#0500 | W | 22 | 16 | 85 | 10 | 125 | 3.5 | 6 | 500 | 0.424 | 0.382 | 0.170 | 1 |
| TPSB336*016#0350 | B | 33 | 16 | 85 | 10 | 125 | 5.3 | 8 | 350 | 0.493 | 0.444 | 0.197 | 1 |
| TPSB336*016#0500 | B | 33 | 16 | 85 | 10 | 125 | 5.3 | 8 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSC336*016#0100 | C | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 100 | 1.049 | 0.944 | 0.420 | 1 |
| TPSC336*016#0150 | C | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 150 | 0.856 | 0.771 | 0.343 | 1 |

RATINGS & PART NUMBER REFERENCE

| Part Number | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL Max. (µA) | DF Max. (%) | ESR Max. @ 100kHz (mΩ) | 100kHz RMS Current (A) | | | MSL |
|-----------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-------------|------------------------|------------------------|-------|-------|-----------------|
| | | | | | | | | | | 25°C | 85°C | 125°C | |
| TPSC336*016#0225 | C | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 225 | 0.699 | 0.629 | 0.280 | 1 |
| TPSC336*016#0300 | C | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPSD336*016#0200 | D | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSW336*016#0140 | W | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 140 | 0.802 | 0.722 | 0.321 | 1 |
| TPSW336*016#0175 | W | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 175 | 0.717 | 0.645 | 0.287 | 1 |
| TPSW336*016#0250 | W | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 250 | 0.600 | 0.540 | 0.240 | 1 |
| TPSW336*016#0400 | W | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 400 | 0.474 | 0.427 | 0.190 | 1 |
| TPSW336*016#0500 | W | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 500 | 0.424 | 0.382 | 0.170 | 1 |
| TPSY336*016#0300 | Y | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 300 | 0.645 | 0.581 | 0.258 | 1 ¹⁾ |
| TPSY336*016#0400 | Y | 33 | 16 | 85 | 10 | 125 | 5.3 | 6 | 400 | 0.559 | 0.503 | 0.224 | 1 ¹⁾ |
| TPSC476*016#0110 | C | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 110 | 1.000 | 0.900 | 0.400 | 1 |
| TPSC476*016#0350 | C | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 350 | 0.561 | 0.505 | 0.224 | 1 |
| TPSD476*016#0080 | D | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 80 | 1.369 | 1.232 | 0.548 | 1 ¹⁾ |
| TPSD476*016#0100 | D | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD476*016#0150 | D | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSD476*016#0200 | D | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSW476*016#0200 | W | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 200 | 0.671 | 0.604 | 0.268 | 1 |
| TPSX476*016#0180 | X | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 180 | 0.745 | 0.671 | 0.298 | 1 ¹⁾ |
| TPSY476*016#0250 | Y | 47 | 16 | 85 | 10 | 125 | 7.5 | 6 | 250 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSC686*016#0125 | C | 68 | 16 | 85 | 10 | 125 | 10.9 | 6 | 125 | 0.938 | 0.844 | 0.375 | 1 |
| TPSC686*016#0200 | C | 68 | 16 | 85 | 10 | 125 | 10.9 | 6 | 200 | 0.742 | 0.667 | 0.297 | 1 |
| TPSD686*016#0070 | D | 68 | 16 | 85 | 10 | 125 | 10.9 | 6 | 70 | 1.464 | 1.317 | 0.586 | 1 ¹⁾ |
| TPSD686*016#0100 | D | 68 | 16 | 85 | 10 | 125 | 10.9 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD686*016#0150 | D | 68 | 16 | 85 | 10 | 125 | 10.9 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSF686*016#0200 | F | 68 | 16 | 85 | 10 | 125 | 10.9 | 10 | 200 | 0.707 | 0.636 | 0.283 | 1 |
| TPSX686*016#0150 | X | 68 | 16 | 85 | 10 | 125 | 10.9 | 8 | 150 | 0.816 | 0.735 | 0.327 | 1 ¹⁾ |
| TPSY686*016#0150 | Y | 68 | 16 | 85 | 10 | 125 | 10.9 | 6 | 150 | 0.913 | 0.822 | 0.365 | 1 ¹⁾ |
| TPSY686*016#0200 | Y | 68 | 16 | 85 | 10 | 125 | 10.9 | 6 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSY686*016#0250 | Y | 68 | 16 | 85 | 10 | 125 | 10.9 | 6 | 250 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSC107*016#0200 | C | 100 | 16 | 85 | 10 | 125 | 16 | 8 | 200 | 0.742 | 0.667 | 0.297 | 1 |
| TPSD107*016#0060 | D | 100 | 16 | 85 | 10 | 125 | 16 | 6 | 60 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSD107*016#0100 | D | 100 | 16 | 85 | 10 | 125 | 16 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD107*016#0125 | D | 100 | 16 | 85 | 10 | 125 | 16 | 6 | 125 | 1.095 | 0.986 | 0.438 | 1 ¹⁾ |
| TPSD107*016#0150 | D | 100 | 16 | 85 | 10 | 125 | 16 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSE107*016#0055 | E | 100 | 16 | 85 | 10 | 125 | 16 | 6 | 55 | 1.732 | 1.559 | 0.693 | 1 ¹⁾ |
| TPSE107*016#0100 | E | 100 | 16 | 85 | 10 | 125 | 16 | 6 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE107*016#0125 | E | 100 | 16 | 85 | 10 | 125 | 16 | 6 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSE107*016#0150 | E | 100 | 16 | 85 | 10 | 125 | 16 | 6 | 150 | 1.049 | 0.944 | 0.420 | 1 ¹⁾ |
| TPSF107M016#0150 | F | 100 | 16 | 85 | 10 | 125 | 16 | 10 | 150 | 0.816 | 0.735 | 0.327 | 1 |
| TPSF107M016#0200 | F | 100 | 16 | 85 | 10 | 125 | 16 | 10 | 200 | 0.707 | 0.636 | 0.283 | 1 |
| TPSY107*016#0100 | Y | 100 | 16 | 85 | 10 | 125 | 16 | 8 | 100 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSY107*016#0150 | Y | 100 | 16 | 85 | 10 | 125 | 16 | 8 | 150 | 0.913 | 0.822 | 0.365 | 1 ¹⁾ |
| TPSY107*016#0200 | Y | 100 | 16 | 85 | 10 | 125 | 16 | 8 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSD157*016#0060 | D | 150 | 16 | 85 | 10 | 125 | 24 | 6 | 60 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSD157*016#0085 | D | 150 | 16 | 85 | 10 | 125 | 24 | 6 | 85 | 1.328 | 1.196 | 0.531 | 1 ¹⁾ |
| TPSD157*016#0100 | D | 150 | 16 | 85 | 10 | 125 | 24 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD157*016#0125 | D | 150 | 16 | 85 | 10 | 125 | 24 | 6 | 125 | 1.095 | 0.986 | 0.438 | 1 ¹⁾ |
| TPSD157*016#0150 | D | 150 | 16 | 85 | 10 | 125 | 24 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSE157*016#0050V | E | 150 | 16 | 85 | 10 | 125 | 24 | 8 | 50 | 1.817 | 1.635 | 0.727 | 3 |
| TPSE157*016#0100 | E | 150 | 16 | 85 | 10 | 125 | 24 | 8 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSV157*016#0045 | V | 150 | 16 | 85 | 10 | 125 | 24 | 8 | 45 | 2.357 | 2.121 | 0.943 | 1 ¹⁾ |
| TPSV157*016#0075 | V | 150 | 16 | 85 | 10 | 125 | 24 | 8 | 75 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| TPSY157M016#0200 | Y | 150 | 16 | 85 | 10 | 125 | 24 | 15 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSD227M016#0200V | D | 220 | 16 | 85 | 10 | 125 | 35.2 | 10 | 200 | 0.866 | 0.779 | 0.346 | 3 |
| TPSE227*016#0050V | E | 220 | 16 | 85 | 10 | 125 | 35.2 | 10 | 50 | 1.817 | 1.635 | 0.727 | 3 |
| TPSE227*016#0100 | E | 220 | 16 | 85 | 10 | 125 | 35.2 | 10 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE227*016#0150 | E | 220 | 16 | 85 | 10 | 125 | 35.2 | 10 | 150 | 1.049 | 0.944 | 0.420 | 1 ¹⁾ |
| TPSV227*016#0050 | V | 220 | 16 | 85 | 10 | 125 | 35.2 | 8 | 50 | 2.236 | 2.012 | 0.894 | 1 ¹⁾ |
| TPSV227*016#0075 | V | 220 | 16 | 85 | 10 | 125 | 35.2 | 8 | 75 | 1.826 | 1.643 | 0.730 | 1 ¹⁾ |
| TPSV227*016#0100 | V | 220 | 16 | 85 | 10 | 125 | 35.2 | 8 | 100 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSV227*016#0150 | V | 220 | 16 | 85 | 10 | 125 | 35.2 | 8 | 150 | 1.291 | 1.162 | 0.516 | 1 ¹⁾ |
| TPSE337M016#0200 | E | 330 | 16 | 85 | 10 | 125 | 52.8 | 30 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| 20 Volt @ 85°C | | | | | | | | | | | | | |
| TPSA105*020#3000 | A | 1 | 20 | 85 | 13 | 125 | 0.5 | 4 | 3000 | 0.158 | 0.142 | 0.063 | 1 |
| TPSR105*020#6000 | R | 1 | 20 | 85 | 13 | 125 | 0.5 | 4 | 6000 | 0.096 | 0.086 | 0.038 | 1 |
| TPSS105*020#6000 | S | 1 | 20 | 85 | 13 | 125 | 0.5 | 4 | 6000 | 0.104 | 0.094 | 0.042 | 1 |
| TPST105*020#2000 | T | 1 | 20 | 85 | 13 | 125 | 0.5 | 4 | 2000 | 0.200 | 0.180 | 0.080 | 1 |
| TPSA155*020#3000 | A | 1.5 | 20 | 85 | 13 | 125 | 0.5 | 6 | 3000 | 0.158 | 0.142 | 0.063 | 1 |
| TPSA225*020#3000 | A | 2.2 | 20 | 85 | 13 | 125 | 0.5 | 6 | 3000 | 0.158 | 0.142 | 0.063 | 1 |
| TPSB225*020#1700 | B | 2.2 | 20 | 85 | 13 | 125 | 0.5 | 6 | 1700 | 0.224 | 0.201 | 0.089 | 1 |
| TPSA335*020#2500 | A | 3.3 | 20 | 85 | 13 | 125 | 0.7 | 6 | 2500 | 0.173 | 0.156 | 0.069 | 1 |
| TPSB335*020#1300 | B | 3.3 | 20 | 85 | 13 | 125 | 0.7 | 6 | 1300 | 0.256 | 0.230 | 0.102 | 1 |
| TPSA475*020#1800 | A | 4.7 | 20 | 85 | 13 | 125 | 0.9 | 6 | 1800 | 0.204 | 0.184 | 0.082 | 1 |
| TPSB475*020#0750 | B | 4.7 | 20 | 85 | 13 | 125 | 0.9 | 6 | 750 | 0.337 | 0.303 | 0.135 | 1 |
| TPSB475*020#1000 | B | 4.7 | 20 | 85 | 13 | 125 | 0.9 | 6 | 1000 | 0.292 | 0.262 | 0.117 | 1 |
| TPSA685*020#1000 | A | 6.8 | 20 | 85 | 13 | 125 | 1.4 | 6 | 1000 | 0.274 | 0.246 | 0.110 | 1 |
| TPSB685*020#0600 | B | 6.8 | 20 | 85 | 13 | 125 | 1.4 | 6 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPSB685*020#1000 | B | 6.8 | 20 | 85 | 13 | 125 | 1.4 | 6 | 1000 | 0.292 | 0.262 | 0.117 | 1 |
| TPSC685*020#0700 | C | 6.8 | 20 | 85 | 13 | 125 | 1.4 | 6 | 700 | 0.396 | 0.357 | 0.159 | 1 |
| TPSB106*020#0500 | B | 10 | 20 | 85 | 13 | 125 | 2 | 6 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSB106*020#1000 | B | 10 | 20 | 85 | 13 | 125 | 2 | 6 | 1000 | 0.292 | 0.262 | 0.117 | 1 |

RATINGS & PART NUMBER REFERENCE

| Part Number | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL Max. (µA) | DF Max. (%) | ESR Max. @ 100kHz (mΩ) | 100kHz RMS Current (A) | | | MSL |
|-----------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-------------|------------------------|------------------------|-------|-------|-----------------|
| | | | | | | | | | | 25°C | 85°C | 125°C | |
| TPSC106*020#0500 | C | 10 | 20 | 85 | 13 | 125 | 2 | 6 | 500 | 0.469 | 0.422 | 0.188 | 1 |
| TPSC106*020#0700 | C | 10 | 20 | 85 | 13 | 125 | 2 | 6 | 700 | 0.396 | 0.357 | 0.159 | 1 |
| TPSW106*020#0250 | W | 10 | 20 | 85 | 13 | 125 | 2 | 6 | 250 | 0.600 | 0.540 | 0.240 | 1 |
| TPSW106*020#0500 | W | 10 | 20 | 85 | 13 | 125 | 2 | 6 | 500 | 0.424 | 0.382 | 0.170 | 1 |
| TPSB156*020#0500 | B | 15 | 20 | 85 | 13 | 125 | 3 | 6 | 500 | 0.412 | 0.371 | 0.165 | 1 |
| TPSC156*020#0400 | C | 15 | 20 | 85 | 13 | 125 | 3 | 6 | 400 | 0.524 | 0.472 | 0.210 | 1 |
| TPSC156*020#0450 | C | 15 | 20 | 85 | 13 | 125 | 3 | 6 | 450 | 0.494 | 0.445 | 0.198 | 1 |
| TPSB226*020#0400 | B | 22 | 20 | 85 | 13 | 125 | 4.4 | 6 | 400 | 0.461 | 0.415 | 0.184 | 1 |
| TPSB226*020#0600 | B | 22 | 20 | 85 | 13 | 125 | 4.4 | 6 | 600 | 0.376 | 0.339 | 0.151 | 1 |
| TPSC226*020#0100 | C | 22 | 20 | 85 | 13 | 125 | 4.4 | 6 | 100 | 1.049 | 0.944 | 0.420 | 1 |
| TPSC226*020#0150 | C | 22 | 20 | 85 | 13 | 125 | 4.4 | 6 | 150 | 0.856 | 0.771 | 0.343 | 1 |
| TPSC226*020#0400 | C | 22 | 20 | 85 | 13 | 125 | 4.4 | 6 | 400 | 0.524 | 0.472 | 0.210 | 1 |
| TPSD226*020#0200 | D | 22 | 20 | 85 | 13 | 125 | 4.4 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD226*020#0300 | D | 22 | 20 | 85 | 13 | 125 | 4.4 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSC336*020#0300 | C | 33 | 20 | 85 | 13 | 125 | 6.6 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPSD336*020#0100 | D | 33 | 20 | 85 | 13 | 125 | 6.6 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD336*020#0200 | D | 33 | 20 | 85 | 13 | 125 | 6.6 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD476*020#0075 | D | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 75 | 1.414 | 1.273 | 0.566 | 1 ¹⁾ |
| TPSD476*020#0100 | D | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD476*020#0200 | D | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSE476*020#0070 | E | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 70 | 1.535 | 1.382 | 0.614 | 1 ¹⁾ |
| TPSE476*020#0125 | E | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSE476*020#0150 | E | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 150 | 1.049 | 0.944 | 0.420 | 1 ¹⁾ |
| TPSE476*020#0200 | E | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSE476*020#0250 | E | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 250 | 0.812 | 0.731 | 0.325 | 1 ¹⁾ |
| TPSX476*020#0200 | X | 47 | 20 | 85 | 13 | 125 | 9.4 | 6 | 200 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSD686*020#0070 | D | 68 | 20 | 85 | 13 | 125 | 13.6 | 6 | 70 | 1.464 | 1.317 | 0.586 | 1 ¹⁾ |
| TPSD686*020#0150 | D | 68 | 20 | 85 | 13 | 125 | 13.6 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSD686*020#0200 | D | 68 | 20 | 85 | 13 | 125 | 13.6 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD686*020#0300 | D | 68 | 20 | 85 | 13 | 125 | 13.6 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSE686*020#0125 | E | 68 | 20 | 85 | 13 | 125 | 13.6 | 6 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSE686*020#0150 | E | 68 | 20 | 85 | 13 | 125 | 13.6 | 6 | 150 | 1.049 | 0.944 | 0.420 | 1 ¹⁾ |
| TPSE686*020#0200 | E | 68 | 20 | 85 | 13 | 125 | 13.6 | 6 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSY686*020#0200 | Y | 68 | 20 | 85 | 13 | 125 | 13.6 | 6 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSD107*020#0085 | D | 100 | 20 | 85 | 13 | 125 | 20 | 6 | 85 | 1.328 | 1.196 | 0.531 | 1 ¹⁾ |
| TPSD107*020#0100 | D | 100 | 20 | 85 | 13 | 125 | 20 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD107*020#0150 | D | 100 | 20 | 85 | 13 | 125 | 20 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSE107*020#0100 | E | 100 | 20 | 85 | 13 | 125 | 20 | 6 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE107*020#0150 | E | 100 | 20 | 85 | 13 | 125 | 20 | 6 | 150 | 1.049 | 0.944 | 0.420 | 1 ¹⁾ |
| TPSE107*020#0200 | E | 100 | 20 | 85 | 13 | 125 | 20 | 6 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSV107*020#0060 | V | 100 | 20 | 85 | 13 | 125 | 20 | 8 | 60 | 2.041 | 1.837 | 0.816 | 1 ¹⁾ |
| TPSV107*020#0085 | V | 100 | 20 | 85 | 13 | 125 | 20 | 8 | 85 | 1.715 | 1.543 | 0.686 | 1 ¹⁾ |
| TPSV107*020#0100 | V | 100 | 20 | 85 | 13 | 125 | 20 | 8 | 100 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSV107*020#0200 | V | 100 | 20 | 85 | 13 | 125 | 20 | 8 | 200 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSV157*020#0080 | V | 150 | 20 | 85 | 13 | 125 | 30 | 8 | 80 | 1.768 | 1.591 | 0.707 | 1 ¹⁾ |
| 25 Volt @ 85°C | | | | | | | | | | | | | |
| TPSA474*025#7000 | A | 0.47 | 25 | 85 | 17 | 125 | 0.5 | 4 | 7000 | 0.104 | 0.093 | 0.041 | 1 |
| TPSA684*025#6000 | A | 0.68 | 25 | 85 | 17 | 125 | 0.5 | 4 | 6000 | 0.112 | 0.101 | 0.045 | 1 |
| TPSA105*025#4000 | A | 1 | 25 | 85 | 17 | 125 | 0.5 | 4 | 4000 | 0.137 | 0.123 | 0.055 | 1 |
| TPSR105*025#2500 | R | 1 | 25 | 85 | 17 | 125 | 0.5 | 4 | 2500 | 0.148 | 0.133 | 0.059 | 1 |
| TPSR105*025#4000 | R | 1 | 25 | 85 | 17 | 125 | 0.5 | 4 | 4000 | 0.117 | 0.106 | 0.047 | 1 |
| TPSA155*025#3000 | A | 1.5 | 25 | 85 | 17 | 125 | 0.5 | 6 | 3000 | 0.158 | 0.142 | 0.063 | 1 |
| TPSB155*025#1800 | B | 1.5 | 25 | 85 | 17 | 125 | 0.5 | 6 | 1800 | 0.217 | 0.196 | 0.087 | 1 |
| TPSA225*025#2500 | A | 2.2 | 25 | 85 | 17 | 125 | 0.6 | 6 | 2500 | 0.173 | 0.156 | 0.069 | 1 |
| TPSB225*025#0900 | B | 2.2 | 25 | 85 | 17 | 125 | 0.6 | 6 | 900 | 0.307 | 0.277 | 0.123 | 1 |
| TPSB225*025#1200 | B | 2.2 | 25 | 85 | 17 | 125 | 0.6 | 6 | 1200 | 0.266 | 0.240 | 0.106 | 1 |
| TPSB225*025#2500 | B | 2.2 | 25 | 85 | 17 | 125 | 0.6 | 6 | 2500 | 0.184 | 0.166 | 0.074 | 1 |
| TPSA335*025#1000 | A | 3.3 | 25 | 85 | 17 | 125 | 0.8 | 6 | 1000 | 0.274 | 0.246 | 0.110 | 1 |
| TPSA335*025#1500 | A | 3.3 | 25 | 85 | 17 | 125 | 0.8 | 6 | 1500 | 0.224 | 0.201 | 0.089 | 1 |
| TPSB335*025#0750 | B | 3.3 | 25 | 85 | 17 | 125 | 0.8 | 6 | 750 | 0.337 | 0.303 | 0.135 | 1 |
| TPSB335*025#1500 | B | 3.3 | 25 | 85 | 17 | 125 | 0.8 | 6 | 1500 | 0.238 | 0.214 | 0.095 | 1 |
| TPSB335*025#2000 | B | 3.3 | 25 | 85 | 17 | 125 | 0.8 | 6 | 2000 | 0.206 | 0.186 | 0.082 | 1 |
| TPSB475*025#0700 | B | 4.7 | 25 | 85 | 17 | 125 | 1.2 | 6 | 700 | 0.348 | 0.314 | 0.139 | 1 |
| TPSB475*025#0900 | B | 4.7 | 25 | 85 | 17 | 125 | 1.2 | 6 | 900 | 0.307 | 0.277 | 0.123 | 1 |
| TPSB475*025#1500 | B | 4.7 | 25 | 85 | 17 | 125 | 1.2 | 6 | 1500 | 0.238 | 0.214 | 0.095 | 1 |
| TPSC475*025#0700 | C | 4.7 | 25 | 85 | 17 | 125 | 1.2 | 6 | 700 | 0.396 | 0.357 | 0.159 | 1 |
| TPSB685*025#0700 | B | 6.8 | 25 | 85 | 17 | 125 | 1.7 | 6 | 700 | 0.348 | 0.314 | 0.139 | 1 |
| TPSC685*025#0500 | C | 6.8 | 25 | 85 | 17 | 125 | 1.7 | 6 | 500 | 0.469 | 0.422 | 0.188 | 1 |
| TPSC685*025#0600 | C | 6.8 | 25 | 85 | 17 | 125 | 1.7 | 6 | 600 | 0.428 | 0.385 | 0.171 | 1 |
| TPSC685*025#0700 | C | 6.8 | 25 | 85 | 17 | 125 | 1.7 | 6 | 700 | 0.396 | 0.357 | 0.159 | 1 |
| TPSB106*025#1800 | B | 10 | 25 | 85 | 17 | 125 | 2.5 | 6 | 1800 | 0.217 | 0.196 | 0.087 | 1 |
| TPSC106*025#0300 | C | 10 | 25 | 85 | 17 | 125 | 2.5 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPSC106*025#0500 | C | 10 | 25 | 85 | 17 | 125 | 2.5 | 6 | 500 | 0.469 | 0.422 | 0.188 | 1 |
| TPSD106*025#0500 | D | 10 | 25 | 85 | 17 | 125 | 2.5 | 6 | 500 | 0.548 | 0.493 | 0.219 | 1 ¹⁾ |
| TPSC156*025#0220 | C | 15 | 25 | 85 | 17 | 125 | 3.8 | 6 | 220 | 0.707 | 0.636 | 0.283 | 1 |
| TPSC156*025#0300 | C | 15 | 25 | 85 | 17 | 125 | 3.8 | 6 | 300 | 0.606 | 0.545 | 0.242 | 1 |
| TPSD156*025#0100 | D | 15 | 25 | 85 | 17 | 125 | 3.8 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD156*025#0300 | D | 15 | 25 | 85 | 17 | 125 | 3.8 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSC226*025#0275 | C | 22 | 25 | 85 | 17 | 125 | 5.5 | 6 | 275 | 0.632 | 0.569 | 0.253 | 1 |
| TPSC226*025#0400 | C | 22 | 25 | 85 | 17 | 125 | 5.5 | 6 | 400 | 0.524 | 0.472 | 0.210 | 1 |
| TPSD226*025#0100 | D | 22 | 25 | 85 | 17 | 125 | 5.5 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |

RATINGS & PART NUMBER REFERENCE

| Part Number | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL Max. (µA) | DF Max. (%) | ESR Max. @ 100kHz (mΩ) | 100kHz RMS Current (A) | | | MSL |
|-----------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-------------|------------------------|------------------------|-------|-------|-----------------|
| | | | | | | | | | | 25°C | 85°C | 125°C | |
| TPSD226*025#0200 | D | 22 | 25 | 85 | 17 | 125 | 5.5 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD226*025#0300 | D | 22 | 25 | 85 | 17 | 125 | 5.5 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSF226*025#0300 | F | 22 | 25 | 85 | 17 | 125 | 5.5 | 6 | 300 | 0.577 | 0.520 | 0.231 | 1 |
| TPSC336*025#0400 | C | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 400 | 0.524 | 0.472 | 0.210 | 1 |
| TPSD336*025#0100 | D | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD336*025#0200 | D | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD336*025#0300 | D | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSE336*025#0100 | E | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE336*025#0175 | E | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 175 | 0.971 | 0.874 | 0.388 | 1 ¹⁾ |
| TPSE336*025#0200 | E | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSE336*025#0300 | E | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 300 | 0.742 | 0.667 | 0.297 | 1 ¹⁾ |
| TPSF336*025#0150 | F | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 150 | 0.816 | 0.735 | 0.327 | 1 ¹⁾ |
| TPSF336*025#0200 | F | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 200 | 0.707 | 0.636 | 0.283 | 1 |
| TPSF336*025#0400 | F | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 400 | 0.500 | 0.450 | 0.200 | 1 |
| TPSY336*025#0200 | Y | 33 | 25 | 85 | 17 | 125 | 8.3 | 6 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSD476*025#0125 | D | 47 | 25 | 85 | 17 | 125 | 11.8 | 6 | 125 | 1.095 | 0.986 | 0.438 | 1 ¹⁾ |
| TPSD476*025#0150 | D | 47 | 25 | 85 | 17 | 125 | 11.8 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSD476*025#0250 | D | 47 | 25 | 85 | 17 | 125 | 11.8 | 6 | 250 | 0.775 | 0.697 | 0.310 | 1 ¹⁾ |
| TPSE476*025#0080 | E | 47 | 25 | 85 | 17 | 125 | 11.8 | 6 | 80 | 1.436 | 1.293 | 0.574 | 1 ¹⁾ |
| TPSE476*025#0100 | E | 47 | 25 | 85 | 17 | 125 | 11.8 | 6 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE476*025#0125 | E | 47 | 25 | 85 | 17 | 125 | 11.8 | 6 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSY476*025#0250 | Y | 47 | 25 | 85 | 17 | 125 | 11.8 | 6 | 250 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSD686*025#0150 | D | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSD686*025#0200 | D | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD686*025#0300 | D | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSE686*025#0125 | E | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSE686*025#0200 | E | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSV686*025#0080 | V | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 80 | 1.768 | 1.591 | 0.707 | 1 ¹⁾ |
| TPSV686*025#0095 | V | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 95 | 1.622 | 1.460 | 0.649 | 1 ¹⁾ |
| TPSV686*025#0150 | V | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 150 | 1.291 | 1.162 | 0.516 | 1 ¹⁾ |
| TPSV686*025#0200 | V | 68 | 25 | 85 | 17 | 125 | 17 | 6 | 200 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSE107*025#0150 | E | 100 | 25 | 85 | 17 | 125 | 25 | 10 | 150 | 1.049 | 0.944 | 0.420 | 1 ¹⁾ |
| TPSV107*025#0100 | V | 100 | 25 | 85 | 17 | 125 | 25 | 8 | 100 | 1.581 | 1.423 | 0.632 | 1 ¹⁾ |
| TPSV157M025#0150 | V | 150 | 25 | 85 | 17 | 125 | 37.5 | 10 | 150 | 1.291 | 1.162 | 0.516 | 1 ¹⁾ |
| 35 Volt @ 85°C | | | | | | | | | | | | | |
| TPSA224*035#6000 | A | 0.22 | 35 | 85 | 23 | 125 | 0.5 | 4 | 6000 | 0.112 | 0.101 | 0.045 | 1 |
| TPSA334*035#6000 | A | 0.33 | 35 | 85 | 23 | 125 | 0.5 | 4 | 6000 | 0.112 | 0.101 | 0.045 | 1 |
| TPSA474*035#6000 | A | 0.47 | 35 | 85 | 23 | 125 | 0.5 | 4 | 6000 | 0.112 | 0.101 | 0.045 | 1 |
| TPSB474*035#4000 | B | 0.47 | 35 | 85 | 23 | 125 | 0.5 | 4 | 4000 | 0.146 | 0.131 | 0.058 | 1 |
| TPSA684*035#6000 | A | 0.68 | 35 | 85 | 23 | 125 | 0.5 | 4 | 6000 | 0.112 | 0.101 | 0.045 | 1 |
| TPSA105*035#3000 | A | 1 | 35 | 85 | 23 | 125 | 0.5 | 4 | 3000 | 0.158 | 0.142 | 0.063 | 1 |
| TPSB105*035#2000 | B | 1 | 35 | 85 | 23 | 125 | 0.5 | 4 | 2000 | 0.206 | 0.186 | 0.082 | 1 |
| TPSA155*035#3000 | A | 1.5 | 35 | 85 | 23 | 125 | 0.5 | 6 | 3000 | 0.158 | 0.142 | 0.063 | 1 |
| TPSB155*035#2500 | B | 1.5 | 35 | 85 | 23 | 125 | 0.5 | 6 | 2500 | 0.184 | 0.166 | 0.074 | 1 |
| TPSA225*035#1500 | A | 2.2 | 35 | 85 | 23 | 125 | 0.8 | 6 | 1500 | 0.224 | 0.201 | 0.089 | 1 |
| TPSB225*035#0750 | B | 2.2 | 35 | 85 | 23 | 125 | 0.8 | 6 | 750 | 0.337 | 0.303 | 0.135 | 1 |
| TPSB225*035#1500 | B | 2.2 | 35 | 85 | 23 | 125 | 0.8 | 6 | 1500 | 0.238 | 0.214 | 0.095 | 1 |
| TPSB225*035#2000 | B | 2.2 | 35 | 85 | 23 | 125 | 0.8 | 6 | 2000 | 0.206 | 0.186 | 0.082 | 1 |
| TPSC225*035#1000 | C | 2.2 | 35 | 85 | 23 | 125 | 0.8 | 6 | 1000 | 0.332 | 0.298 | 0.133 | 1 |
| TPSB335*035#1000 | B | 3.3 | 35 | 85 | 23 | 125 | 1.2 | 6 | 1000 | 0.292 | 0.262 | 0.117 | 1 |
| TPSC335*035#0700 | C | 3.3 | 35 | 85 | 23 | 125 | 1.2 | 6 | 700 | 0.396 | 0.357 | 0.159 | 1 |
| TPSB475*035#0700 | B | 4.7 | 35 | 85 | 23 | 125 | 1.6 | 6 | 700 | 0.348 | 0.314 | 0.139 | 1 |
| TPSB475*035#1500 | B | 4.7 | 35 | 85 | 23 | 125 | 1.6 | 6 | 1500 | 0.238 | 0.214 | 0.095 | 1 |
| TPSC475*035#0600 | C | 4.7 | 35 | 85 | 23 | 125 | 1.6 | 6 | 600 | 0.428 | 0.385 | 0.171 | 1 |
| TPSD475*035#0700 | D | 4.7 | 35 | 85 | 23 | 125 | 1.6 | 6 | 700 | 0.463 | 0.417 | 0.185 | 1 ¹⁾ |
| TPSC685*035#0350 | C | 6.8 | 35 | 85 | 23 | 125 | 2.4 | 6 | 350 | 0.561 | 0.505 | 0.224 | 1 |
| TPSD685*035#0150 | D | 6.8 | 35 | 85 | 23 | 125 | 2.4 | 6 | 150 | 1.000 | 0.900 | 0.400 | 1 ¹⁾ |
| TPSD685*035#0400 | D | 6.8 | 35 | 85 | 23 | 125 | 2.4 | 6 | 400 | 0.612 | 0.551 | 0.245 | 1 ¹⁾ |
| TPSD685*035#0500 | D | 6.8 | 35 | 85 | 23 | 125 | 2.4 | 6 | 500 | 0.548 | 0.493 | 0.219 | 1 ¹⁾ |
| TPSC106*035#0600 | C | 10 | 35 | 85 | 23 | 125 | 3.5 | 6 | 600 | 0.428 | 0.385 | 0.171 | 1 |
| TPSD106*035#0125 | D | 10 | 35 | 85 | 23 | 125 | 3.5 | 6 | 125 | 1.095 | 0.986 | 0.438 | 1 ¹⁾ |
| TPSD106*035#0300 | D | 10 | 35 | 85 | 23 | 125 | 3.5 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSE106*035#0100V | E | 10 | 35 | 85 | 23 | 125 | 3.5 | 6 | 100 | 1.285 | 1.156 | 0.514 | 3 |
| TPSE106*035#0150V | E | 10 | 35 | 85 | 23 | 125 | 3.5 | 6 | 150 | 1.049 | 0.944 | 0.420 | 3 |
| TPSE106*035#0200 | E | 10 | 35 | 85 | 23 | 125 | 3.5 | 6 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSY106*035#0250 | Y | 10 | 35 | 85 | 23 | 125 | 3.5 | 6 | 250 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSC156*035#0350 | C | 15 | 35 | 85 | 23 | 125 | 5.3 | 6 | 350 | 0.561 | 0.505 | 0.224 | 1 |
| TPSC156*035#0450 | C | 15 | 35 | 85 | 23 | 125 | 5.3 | 6 | 450 | 0.494 | 0.445 | 0.198 | 1 |
| TPSD156*035#0100 | D | 15 | 35 | 85 | 23 | 125 | 5.3 | 6 | 100 | 1.225 | 1.102 | 0.490 | 1 ¹⁾ |
| TPSD156*035#0300 | D | 15 | 35 | 85 | 23 | 125 | 5.3 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSY156*035#0250 | Y | 15 | 35 | 85 | 23 | 125 | 5.3 | 6 | 250 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSD226*035#0125 | D | 22 | 35 | 85 | 23 | 125 | 7.7 | 6 | 125 | 1.095 | 0.986 | 0.438 | 1 ¹⁾ |
| TPSD226*035#0200 | D | 22 | 35 | 85 | 23 | 125 | 7.7 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD226*035#0300 | D | 22 | 35 | 85 | 23 | 125 | 7.7 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSD226*035#0400 | D | 22 | 35 | 85 | 23 | 125 | 7.7 | 6 | 400 | 0.612 | 0.551 | 0.245 | 1 ¹⁾ |
| TPSE226*035#0125 | E | 22 | 35 | 85 | 23 | 125 | 7.7 | 6 | 125 | 1.149 | 1.034 | 0.460 | 1 ¹⁾ |
| TPSE226*035#0200 | E | 22 | 35 | 85 | 23 | 125 | 7.7 | 6 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSE226*035#0300 | E | 22 | 35 | 85 | 23 | 125 | 7.7 | 6 | 300 | 0.742 | 0.667 | 0.297 | 1 ¹⁾ |
| TPSY226*035#0200 | Y | 22 | 35 | 85 | 23 | 125 | 7.7 | 6 | 200 | 0.791 | 0.712 | 0.316 | 1 ¹⁾ |
| TPSD336*035#0200 | D | 33 | 35 | 85 | 23 | 125 | 11.6 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD336*035#0300 | D | 33 | 35 | 85 | 23 | 125 | 11.6 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |

TPS Series

Low ESR



RATINGS & PART NUMBER REFERENCE

| Part Number | Case Size | Capacitance (µF) | Rated Voltage (V) | Rated Temperature (°C) | Category Voltage (V) | Category Temperature (°C) | DCL Max. (µA) | DF Max. (%) | ESR Max. @ 100kHz (mΩ) | 100kHz RMS Current (A) | | | MSL |
|-----------------------|-----------|------------------|-------------------|------------------------|----------------------|---------------------------|---------------|-------------|------------------------|------------------------|-------|-------|-----------------|
| | | | | | | | | | | 25°C | 85°C | 125°C | |
| TPSE336*035#0100 | E | 33 | 35 | 85 | 23 | 125 | 11.6 | 6 | 100 | 1.285 | 1.156 | 0.514 | 1 ¹⁾ |
| TPSE336*035#0250 | E | 33 | 35 | 85 | 23 | 125 | 11.6 | 6 | 250 | 0.812 | 0.731 | 0.325 | 1 ¹⁾ |
| TPSE336*035#0300 | E | 33 | 35 | 85 | 23 | 125 | 11.6 | 6 | 300 | 0.742 | 0.667 | 0.297 | 1 ¹⁾ |
| TPSV336*035#0200 | V | 33 | 35 | 85 | 23 | 125 | 11.6 | 6 | 200 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSD476*035#0300V | D | 47 | 35 | 85 | 23 | 125 | 16.5 | 6 | 300 | 0.707 | 0.636 | 0.283 | 3 |
| TPSE476*035#0200 | E | 47 | 35 | 85 | 23 | 125 | 16.5 | 6 | 200 | 0.908 | 0.817 | 0.363 | 1 ¹⁾ |
| TPSE476*035#0250 | E | 47 | 35 | 85 | 23 | 125 | 16.5 | 6 | 250 | 0.812 | 0.731 | 0.325 | 1 ¹⁾ |
| TPSV476*035#0150 | V | 47 | 35 | 85 | 23 | 125 | 16.5 | 6 | 150 | 1.291 | 1.162 | 0.516 | 1 ¹⁾ |
| TPSV476*035#0200 | V | 47 | 35 | 85 | 23 | 125 | 16.5 | 6 | 200 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| TPSV686*035#0150 | V | 68 | 35 | 85 | 23 | 125 | 23.8 | 6 | 150 | 1.291 | 1.162 | 0.516 | 1 ¹⁾ |
| TPSV686*035#0200 | V | 68 | 35 | 85 | 23 | 125 | 23.8 | 6 | 200 | 1.118 | 1.006 | 0.447 | 1 ¹⁾ |
| 50 Volt @ 85°C | | | | | | | | | | | | | |
| TPSA154*050#9000 | A | 0.15 | 50 | 85 | 33 | 125 | 0.5 | 4 | 9000 | 0.091 | 0.082 | 0.037 | 1 |
| TPSA224*050#7000 | A | 0.22 | 50 | 85 | 33 | 125 | 0.5 | 4 | 7000 | 0.104 | 0.093 | 0.041 | 1 |
| TPSA334*050#7000 | A | 0.33 | 50 | 85 | 33 | 125 | 0.5 | 4 | 7000 | 0.104 | 0.093 | 0.041 | 1 |
| TPSA474*050#6500 | A | 0.47 | 50 | 85 | 33 | 125 | 0.5 | 4 | 6500 | 0.107 | 0.097 | 0.043 | 1 |
| TPSB474*050#6000 | B | 0.47 | 50 | 85 | 33 | 125 | 0.5 | 4 | 6000 | 0.119 | 0.107 | 0.048 | 1 |
| TPSC474*050#2300 | C | 0.47 | 50 | 85 | 33 | 125 | 0.5 | 4 | 2300 | 0.219 | 0.197 | 0.087 | 1 |
| TPSB684*050#4000 | B | 0.68 | 50 | 85 | 33 | 125 | 0.5 | 4 | 4000 | 0.146 | 0.131 | 0.058 | 1 |
| TPSB105*050#3000 | B | 1 | 50 | 85 | 33 | 125 | 0.5 | 6 | 3000 | 0.168 | 0.151 | 0.067 | 1 |
| TPSC105*050#2500 | C | 1 | 50 | 85 | 33 | 125 | 0.5 | 4 | 2500 | 0.210 | 0.189 | 0.084 | 1 |
| TPSC155*050#1500 | C | 1.5 | 50 | 85 | 33 | 125 | 0.8 | 6 | 1500 | 0.271 | 0.244 | 0.108 | 1 |
| TPSC155*050#2000 | C | 1.5 | 50 | 85 | 33 | 125 | 0.8 | 6 | 2000 | 0.235 | 0.211 | 0.094 | 1 |
| TPSC225*050#1500 | C | 2.2 | 50 | 85 | 33 | 125 | 1.1 | 8 | 1500 | 0.271 | 0.244 | 0.108 | 1 |
| TPSD225*050#1200 | D | 2.2 | 50 | 85 | 33 | 125 | 1.1 | 6 | 1200 | 0.354 | 0.318 | 0.141 | 1 ¹⁾ |
| TPSC335*050#1000 | C | 3.3 | 50 | 85 | 33 | 125 | 1.6 | 6 | 1000 | 0.332 | 0.298 | 0.133 | 1 |
| TPSD335*050#0800 | D | 3.3 | 50 | 85 | 33 | 125 | 1.7 | 6 | 800 | 0.433 | 0.390 | 0.173 | 1 ¹⁾ |
| TPSC475*050#0800 | C | 4.7 | 50 | 85 | 33 | 125 | 2.4 | 6 | 800 | 0.371 | 0.334 | 0.148 | 1 |
| TPSD475*050#0250 | D | 4.7 | 50 | 85 | 33 | 125 | 2.4 | 6 | 250 | 0.775 | 0.697 | 0.310 | 1 ¹⁾ |
| TPSD475*050#0300 | D | 4.7 | 50 | 85 | 33 | 125 | 2.4 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSD475*050#0500 | D | 4.7 | 50 | 85 | 33 | 125 | 2.4 | 6 | 500 | 0.548 | 0.493 | 0.219 | 1 ¹⁾ |
| TPSD475*050#0700 | D | 4.7 | 50 | 85 | 33 | 125 | 2.4 | 6 | 700 | 0.463 | 0.417 | 0.185 | 1 ¹⁾ |
| TPSX475*050#0500V | X | 4.7 | 50 | 85 | 33 | 125 | 2.4 | 6 | 500 | 0.447 | 0.402 | 0.179 | 3 |
| TPSD685*050#0200 | D | 6.8 | 50 | 85 | 33 | 125 | 3.4 | 6 | 200 | 0.866 | 0.779 | 0.346 | 1 ¹⁾ |
| TPSD685*050#0300 | D | 6.8 | 50 | 85 | 33 | 125 | 3.4 | 6 | 300 | 0.707 | 0.636 | 0.283 | 1 ¹⁾ |
| TPSD685*050#0500 | D | 6.8 | 50 | 85 | 33 | 125 | 3.4 | 6 | 500 | 0.548 | 0.493 | 0.219 | 1 ¹⁾ |
| TPSD685*050#0600 | D | 6.8 | 50 | 85 | 33 | 125 | 3.4 | 6 | 600 | 0.500 | 0.450 | 0.200 | 1 ¹⁾ |
| TPSD106*050#0500 | D | 10 | 50 | 85 | 33 | 125 | 5 | 6 | 500 | 0.548 | 0.493 | 0.219 | 1 ¹⁾ |
| TPSE106*050#0250 | E | 10 | 50 | 85 | 33 | 125 | 5 | 6 | 250 | 0.812 | 0.731 | 0.325 | 1 ¹⁾ |
| TPSE106*050#0300 | E | 10 | 50 | 85 | 33 | 125 | 5 | 6 | 300 | 0.742 | 0.667 | 0.297 | 1 ¹⁾ |

1¹⁾ – Dry pack option (see How to order) is recommended for reduction of stress during soldering. Dry pack parts should be treated as MSL 3.

For AEC-Q200 availability, please contact KYOCERA AVX.

Moisture Sensitivity Level (MSL) is defined according to J-STD-020

All technical data relates to an ambient temperature of +25°C. Capacitance and DF are measured at 120Hz, 0.5V RMS with a maximum DC bias of 2.2 volts.

DCL is measured at rated voltage after 5 minutes.

The EIA & CECC standards for low ESR Solid Tantalum Capacitors allow an ESR movement to 1.25 times catalogue limit post mounting.

For typical weight and composition see page 259.


NOTE: KYOCERA AVX reserves the right to supply higher voltage ratings or tighter tolerance part in the same case size, to the same reliability standards.

QUALIFICATION TABLE


| TEST | TPS series (Temperature range -55°C to +125°C) | | | | | | | | | | |
|-----------------------|---|---------------|---------------|--------------------|------------------------------------|-----------|------------|------------|------------|------------|--|
| | Condition | | | Characteristics | | | | | | | |
| Endurance | Apply rated voltage (Ur) at 85°C and / or category voltage (Uc) at 125°C for 2000 hours through a circuit impedance of $\leq 0.1\Omega/V$. Stabilize at room temperature for 1-2 hours before measuring. | | | Visual examination | no visible damage | | | | | | |
| | | | | DCL | 1.5 x initial limit | | | | | | |
| | | | | $\Delta C/C$ | within $\pm 10\%$ of initial value | | | | | | |
| | | | | DF | initial limit | | | | | | |
| | | | | ESR | 1.25 x initial limit | | | | | | |
| Humidity | Store at 65°C and 95% relative humidity for 500 hours, with no applied voltage. Stabilize at room temperature and humidity for 1-2 hours before measuring. | | | Visual examination | no visible damage | | | | | | |
| | | | | DCL | 1.5 x initial limit | | | | | | |
| | | | | $\Delta C/C$ | within $\pm 10\%$ of initial value | | | | | | |
| | | | | DF | 1.2 x initial limit | | | | | | |
| | | | | ESR | 1.25 x initial limit | | | | | | |
| Temperature Stability | Step | Temperature°C | Duration(min) | | +20°C | -55°C | +20°C | +85°C | +125°C | +20°C | |
| | 1 | +20 | 15 | DCL | IL* | n/a | IL* | 10 x IL* | 12.5 x IL* | IL* | |
| | 2 | -55 | 15 | $\Delta C/C$ | n/a | +0/-10% | $\pm 5\%$ | +10/-0% | +12/-0% | $\pm 5\%$ | |
| | 3 | +20 | 15 | DF | IL* | 1.5 x IL* | IL* | 1.5 x IL* | 2 x IL* | IL* | |
| | 4 | +85 | 15 | ESR | 1.25 x IL* | 2.5 x IL* | 1.25 x IL* | 1.25 x IL* | 1.25 x IL* | 1.25 x IL* | |
| | 5 | +125 | 15 | | | | | | | | |
| 6 | +20 | 15 | | | | | | | | | |
| Surge Voltage | Apply 1.3x category voltage (Uc) at 125°C for 1000 cycles of duration 6 min (30 sec charge, 5 min 30 sec discharge) through a charge / discharge resistance of 1000 Ω | | | Visual examination | no visible damage | | | | | | |
| | | | | DCL | initial limit | | | | | | |
| | | | | $\Delta C/C$ | within $\pm 5\%$ of initial value | | | | | | |
| | | | | DF | initial limit | | | | | | |
| | | | | ESR | 1.25 x initial limit | | | | | | |
| Mechanical Shock | MIL-STD-202, Method 213, Condition C | | | Visual examination | no visible damage | | | | | | |
| | | | | DCL | initial limit | | | | | | |
| | | | | $\Delta C/C$ | within $\pm 5\%$ of initial value | | | | | | |
| | | | | DF | initial limit | | | | | | |
| | | | | ESR | initial limit | | | | | | |
| Vibration | MIL-STD-202, Method 204, Condition D | | | Visual examination | no visible damage | | | | | | |
| | | | | DCL | initial limit | | | | | | |
| | | | | $\Delta C/C$ | within $\pm 5\%$ of initial value | | | | | | |
| | | | | DF | initial limit | | | | | | |
| | | | | ESR | initial limit | | | | | | |

*Initial Limit


SOLID ELECTROLYTIC CAPACITOR ROADMAP



FIVE CAPACITOR CONSTRUCTION STYLES



SERIES LINE UP : CONVENTIONAL SMD MnO₂



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Kyocera AVX:

[TPSE226M035R0300](#) [TPSE227K010R0050](#) [TPSE227K010R0100](#) [TPSE227M010R0050](#) [TPSE336K025R0300](#)
[TPSE336M035R0100](#) [TPSE337K010R0050](#) [TPSE337M010R0050](#) [TPSE337M010R0100](#) [TPSE476K035R0250](#)
[TPSE477K006R0045](#) [TPSE477K010R0045](#) [TPSE477K010R0100](#) [TPSE477M010R0045](#) [TPSE477M010R0100](#)
[TPSE686K025R0200](#) [TPSE686M020R0125](#) [TPSE686M020R0150](#) [TPSE686M025R0125](#) [TPSV227M016R0050](#)
[TPSV227M016R0075](#) [TPSV337M010R0100](#) [TPSV687K006R0035](#) [TPSW336K016R0175](#) [TPSW476K010R0125](#)
[TPSW476K010R0150](#) [TPSW686K006R0125](#) [TPSY157K010R0100](#) [TPSY686K016R0200](#) [TPSD107M020R0085](#)
[TPSD156K035R0100](#) [TPSD156M025R0100](#) [TPSD156M035R0300](#) [TPSD157K006R0050](#) [TPSD157K010R0085](#)
[TPSD157M006R0050](#) [TPSD157M016R0100](#) [TPSD157M016R0125](#) [TPSD157M016R0150](#) [TPSD226K025R0100](#)
[TPSD226M025R0100](#) [TPSD227K010R0150](#) [TPSD227M010R0050](#) [TPSD336K035R0300](#) [TPSD336M025R0300](#)
[TPSD336M035R0300](#) [TPSD337K006R0045](#) [TPSD337K010R0100](#) [TPSD337K010R0150](#) [TPSD475M050R0700](#)
[TPSD686M010R0100](#) [TPSD686M016R0070](#) [TPSE106K050R0400](#) [TPSE107K016R0100](#) [TPSE107K016R0150](#)
[TPSE107K020R0150](#) [TPSE107M016R0055](#) [TPSE226K035R0300](#) [TPSA105K035R3000](#) [TPSA105M035R3000](#)
[TPSA106K010R0900](#) [TPSA106K010R1800](#) [TPSA226M010R0900](#) [TPSA335M016R3500](#) [TPSA475K020R1800](#)
[TPSA476M004R0500](#) [TPSA684K035R6000](#) [TPSB106M016R0800](#) [TPSB106M020R1000](#) [TPSB156K016R0800](#)
[TPSB225K025R2500](#) [TPSB225K035R2000](#) [TPSB226K016R0600](#) [TPSB226M016R0600](#) [TPSB476K010R0650](#)
[TPSB476M010R0500](#) [TPSC107K006R0150](#) [TPSC107M010R0100](#) [TPSC226K016R0375](#) [TPSC227K006R0070](#)
[TPSC227M006R0250](#) [TPSC335M035R0700](#) [TPSC336M016R0300](#) [TPSC475M035R0600](#) [TPSC476K016R0350](#)
[TPSC476M010R0350](#) [TPSC685M025R0600](#) [TPSD106M035R0125](#) [TPSD107K016R0125](#) [TPSD107M010R0050](#)
[TPSD107M010R0080](#) [TPSD107M010R0100](#) [TPSD107M016R0060](#) [TPSA156M006R1500](#) [TPSA225K010R1800](#)
[TPSA225K016R1800](#) [TPSA225M010R1800](#) [TPSA335M020R2500](#) [TPSA336K006R0600](#) [TPSA475M020R1800](#)