


## Blue Dot Receptor Cables



**DS1402D-DB8+**

**DS1402D-DR8+**




## iButton Probe Cables


**DS1402-BP8+**

**DS1402-RP8+**


**DS1402-**



**RP3+**



## iButton Holder Cable DS1402-BR8+



**REVISION HISTORY**

<b>REVISION DATE</b>	<b>DESCRIPTION</b>	<b>PAGES CHANGED</b>
61809	Conversion to lead free. Added the DS1402-RP3+ to the data sheet	1, 2
10/14	Added DS1402-RC3+ and revised <i>Benefits and Features</i> section	1, 2
2/15	Corrected figure caption	2
7/20	Removed DS1402-RC3+	1, 2



*Maxim cannot assume responsibility for use of any circuitry other than circuitry entirely embodied in a Maxim product. No circuit patent licenses are implied. Maxim reserves the right to change the circuitry and specifications without notice at any time. The parametric values (min and max limits) shown in the Electrical Characteristics table are guaranteed. Other parametric values quoted in this data sheet are provided for guidance.*

Maxim Integrated 160 Rio Robles, San Jose, CA 95134 USA 1-408-601-1000

3

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Maxim Integrated:](#)

[DS1402-BP8+](#) [DS1402-BR8+](#) [DS1402-RP3+](#) [DS1402D-DB8+](#) [DS1402D-DR8+](#) [DS1402-RP8+](#) [DS1402-RPL+](#)