



ORDERING INFORMATION							
PART NO.	PACKING CODE	PACKING CODE SUFFIX	PACKAGE	PACKING			
TST20UXXCW	C0	G	TO-220AB	50 / Tube			

Note 1: "XX" defines voltage from 45V (TST20U45CW) to 60V (TST20U60CW)

EXAMPLE							
PREFERRED	PART NO.	PACKING CODE	PACKING CODE	DESCRIPTION			
PART NO.	PART NO.	PACKING CODE	SUFFIX	DESCRIPTION			
TST20U60CW C0G	TST20U60CW	C0	G	Green compound			

RATINGS AND CHARACTERISTICS CURVES

(T_A=25°C unless otherwise noted)

FIG.1 FORWARD CURRENT DERATING CURVE




FIG. 2 TYPICAL FORWARD CHARACTERISTICS




FIG. 3 TYPICAL FORWARD CHARACTERISTICS




FIG. 4 TYPICAL REVERSE CHARACTERISTICS






FIG. 5 TYPICAL REVERSE CHARACTERISTICS




FIG. 6 TYPICAL JUNCTION CAPACITANCE






FIG. 7 MAXIMUM NON-REPETITIVE FORWARD SURGE CURRENT









PACKAGE OUTLINE DIMENSIONS

TO-220AB





DIM.	Unit (mm)		Unit (inch)	
	Min	Max	Min	Max
Α	-	10.50		0.413
В	2.54	3.44	0.100	0.135
С	2.80	4.20	0.110	0.165
D	0.68	0.94	0.027	0.037
E	3.54	4.00	0.139	0.157
F	14.60	16.00	0.575	0.630
G	13.19	14.79	0.519	0.582
Η	2.41	2.67	0.095	0.105
1	4.42	4.76	0.174	0.187
J	1.14	1.40	0.045	0.055
K	5.84	6.86	0.230	0.270
L	2.20	2.80	0.087	0.110
M	0.35	0.64	0.014	0.025
Ν	0.95	1.45	0.037	0.057

MARKING DIAGRAM



P/N = Specific Device Code

G = Green Compound

YWW = Date Code

= Factory Code



Taiwan Semiconductor

Notice

Specifications of the products displayed herein are subject to change without notice. TSC or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, to any intellectual property rights is granted by this document. Except as provided in TSC's terms and conditions of sale for such products, TSC assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of TSC products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify TSC for any damages resulting from such improper use or sale.

Version: B1910

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Taiwan Semiconductor:

TST20U45CW C0G TST20U60CW C0G TST20U45CW TST20U60CW