


ORDERING INFORMATION					
PART NO.	PART NO.	PACKING CODE	PACKING CODE	PACKAGE	PACKING
	SUFFIX		SUFFIX		
	Н	RU	G	Sub SMA	1,800 / 7" Plastic reel (8mm tape)
		RV		Sub SMA	3,000 / 7" Plastic reel (8mm tape)
RS1xL (Note 1)		RT		Sub SMA	7,500 / 13" Paper reel (8mm tape)
		MT		Sub SMA	7,500 / 13" Plastic reel (8mm tape)
		RQ		Sub SMA	10,000 / 13" Paper reel (8mm tape)
		MQ		Sub SMA	10,000 / 13" Plastic reel (8mm tape)
		R3		Sub SMA	1,800 / 7" Plastic reel (12mm tape)
		RF		Sub SMA	3,000 / 7" Plastic reel (12mm tape)
		R2		Sub SMA	7,500 / 13" Paper reel (12mm tape)
		M2		Sub SMA	7,500 / 13" Plastic reel (12mm tape)
		RH		Sub SMA	10,000 / 13" Paper reel (12mm tape)
		MH		Sub SMA	10,000 / 13" Plastic reel (12mm tape)


Note 1: "x" defines voltage from 50V (RS1AL) to 1000V (RS1ML)

EXAMPLE					
PREFERRED PART NO.	PART NO.	PART NO. SUFFIX	PACKING CODE	PACKING CODE SUFFIX	DESCRIPTION
RS1MLHRUG	RS1ML	Н	RU	G	AEC-Q101 qualified Green compound


### RATINGS AND CHARACTERISTICS CURVES


(T<sub>A</sub>=25°C unless otherwise noted)






NUMBER OF CYCLES AT 60 Hz














### FIG.6- REVERSE RECOVERY TIME CHARACTERISTIC AND TEST CIRCUIT DIAGRAM






### PACKAGE OUTLINE DIMENSIONS

### Sub SMA



DIM.	Unit	(mm)	Unit (inch)	
DIIVI.	Min	Max	Min	Max
В	1.70	1.90	0.067	0.075
С	2.70	2.90	0.106	0.114
D	0.16	0.30	0.006	0.012
Е	1.23	1.43	0.048	0.056
F	0.80	1.20	0.031	0.047
G	3.40	3.80	0.134	0.150
Н	2.45	2.60	0.096	0.102
I	0.35	0.85	0.014	0.033
J	0.00	0.10	0.000	0.004

## SUGGESTED PAD LAYOUT



F

Symbol	Unit (mm)	Unit (inch)
Α	1.4	0.055
В	1.2	0.047
С	3.1	0.122
D	1.9	0.075
Е	4.3	0.169

### MARKING DIAGRAM



P/N = Marking Code

G = Green compound Code

= Factory Code

YW = Date Code

Document Number: DS\_D1409037





### Notice

Specifications of the products displayed herein are subject to change without notice. TSC or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, to any intellectual property rights is granted by this document. Except as provided in TSC's terms and conditions of sale for such products, TSC assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of TSC products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify TSC for any damages resulting from such improper use or sale.

Document Number: DS\_D1409037 Version: M15

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

#### Taiwan Semiconductor:

RS1AL RS1BL RS1DL RS1GL RS1JL RS1KL RS1ML RS1BLHR2G RS1AL RQ RS1JLHR2 RS1KL RQG RS1MLHR2G RS1MLHR2G RS1MLHR2G RS1ALHR2G RS1KLHR3 RS1GL RQG RS1JL RQG RS1BLHR3G RS1DLHRQG RS1BL R3G RS1KL R2 RS1JLHR2G RS1GLHR2G RS1AL R2 RS1AL R3G RS1DL R2G RS1AL RQG RS1GL R3G RS1JL R2 RS1GLHR3G RS1BL R2G RS1ML RQ RS1KLHR2G RS1DLHR3G RS1JL R3G RS1DL R3G RS1AL R2G RS1BLHRQG RS1GLHRQG RS1JLHRQG RS1JLHRQG RS1JL R2G RS1ALHR3G RS1ALHRQG RS1ML R3G RS1MLHR3G RS1MLHRQG RS1GL R2G RS1DLHR2G RS1ML RQG RS1KLHR3G RS1KLHR3G RS1BL RQG RS1DL RQG RS1KL R2G RS1JLHR3G RS1ML R2G RS1KLHR2G RS1KLHR2G RS1KLHR3G RS1BL RQG RS1DL RQG RS1KL R2G RS1JLHR3G RS1ML R2G RS1KLHR2 RS1KL RQ RS1BL R2 RS1ML R2 RS1DL R2 RS1GL R2 RS1KL R3 RS1JL R3 RS1DL R3 RS1ML R3 RS1BL R3 RS1AL R3 RS1GL R3 RS1KL RQG RS1KLRVG RS1JL RVG RS1JL RVG RS1JL RVG RS1DL RVG RS1ML RVG RS1DL RVG RS1ML RVG RS1DL RVG RS1ML RVG RS1DL RVG RS1ML RVG RS1BL RVG RS1BL