

Taiwan Semiconductor

ORDERING INFORMATION					
ORDERING CODE	PACKAGE	PACKING			
KBU801G T0	KBU	500 / Trays			
KBU802G T0	KBU	500 / Trays			
KBU803G T0	KBU	KBU 500 / Trays			
KBU804G T0	KBU 500 / Trays				
KBU805G T0	KBU 500 / Trays				
KBU806G T0	KBU 500 / Trays				
KBU807G T0	KBU	500 / Trays			

RATINGS AND CHARACTERISTICS CURVES

(T_A=25°C unless otherwise noted)



0.1

0.6

0.7

0.8

0.9

1

INSTANTANEOUS FORWARD VOLTAGE (V)

1.1

0

1.3

1.2



KBU801G thru KBU807G

Taiwan Semiconductor

FIG. 5 TYPICAL JUNCTION CAPACITANCE



PACKAGE OUTLINE DIMENSIONS



DIM.	Unit (mm)		Unit (inch)	
	Min	Max	Min	Max
А	18.8	19.8	0.740	0.780
В	4.6	5.6	0.181	0.220
С	8.2 (TYP.)		0.322 (TYP.)	
D	1.2	1.3	0.047	0.051
E	20.0	-	0.787	-
F	6.8	7.1	0.268	0.280
G	22.7	23.7	0.894	0.933
Н	4.6	5.0	0.181	0.197

MARKING DIAGRAM



- = Specific Device Code
- = Date Code
- = Factory Code



Taiwan Semiconductor

Notice

Specifications of the products displayed herein are subject to change without notice. TSC or anyone on its behalf, assumes no responsibility or liability for any errors inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied,to any intellectual property rights is granted by this document. Except as provided in TSC's terms and conditions of sale for such products, TSC assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of TSC products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or seling these products for use in such applications do so at their own risk and agree to fully indemnify TSC for any damages resulting from such improper use or sale.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Taiwan Semiconductor:

<u>KBU801G</u> <u>KBU802G</u> <u>KBU803G</u> <u>KBU804G</u> <u>KBU805G</u> <u>KBU806G</u> <u>KBU807G</u> <u>KBU806G T0</u> <u>KBU804G T0</u> KBU801G T0 KBU807G T0 KBU802G T0 KBU803G T0 KBU805G T0