IOR HIRE

Description

Description

The AFC461 EMI filter will reduce the input line reflected ripple current of the AHV, ATO, ATW, ATR, and AHF line of DC-DC converters to levels below the CEO3 limits of MIL-STD-461. These EMI filters are manufactured in a facility certified to MIL-PRF-38534. All purposes used to manufacture these filters have been qualified to enable IR HiRel to deliver compliant devices. Three standard temperature grades are offered with screening options. Manufactured in a facility fully qualified to MIL-PRF-38534, these EMI filters are fabricated utilizing DSCC qualified processes. For available screening options, refer to device screening table in the datasheet.




Figure 1 Typical Application Block Diagram

AFC461 Series

40V Max Input, Single Output



Table of contents

Table of contents

Proc	luct Summary 1
	ures
	ential Applications 1
	Juct Validation 1
	ering Information 1
	ription
	e of contents
1	Block Diagram4
	ce Synchronization
2	Pin Designation5
3	SPECIFICATION
3.1	Specification6
3.2	Standard Microcircuit Drawing Equivalence Table6
4	Mechanical Outlines
5	Devices Screening
6	Part Numbering
Revi	sion history10

Block Diagram

1 Block Diagram




Figure 2 Block Diagram

Refer to page 5 for Pin Designation Table

Device Synchronization

Whenever multiple DC-DC converters are utilized in a single system, significant low frequency noise may be generated due to slight difference in the switching frequencies of the converters (beat frequency noise). because of the low frequency nature of this noise (typically less than 10KHz), it is difficult to filter out and may interfere with proper operation of sensitive systems (communications, radar or telemetry). IR HiRel offers an option, which provides synchronization of multiple AHE/ATW type converters, thus eliminating this type of noise. To take advantage of this capability, the system designer must assign one of the converters as the master. Then, by definition, the remaining converters become slaves and will operate at the masters' switching frequency. The user should be aware that the synchronization system is fail-safe; that is, the slaves will continue operating should the master frequency be interrupted for any reason. The layout must be such that the synchronization output of the master device is connected to the synchronization input of each slave device. It is advisable to keep this run short to minimize the possibility of radiating the 250KHz switching frequency. A typical connection is illustrated on the cover sheet of this document.

The appropriate converters must be ordered to take advantage of this feature. After selecting the converters required for the system, a 'MSTR' suffix is added for the master converter part number and an 'SLV' suffix is added for slave part number. See Part Number section of the applicable converter data sheets.

AFC461 Series

40V Max Input, Single Output



Pin Designation

2 Pin Designation

Table 2 Pin Designation

_ · ··· = 00. g		
Pin Number	Designation	
1	+ Input	
2	+ Output	
3	Case Ground	
4	Output Return	
5	Input Return	



Specification

3 Specification

3.1 Specification

Table 3 Specification

		Limits			
Parameter	Conditions	Min	Nom	Max	Unit
Input voltage Steady state		0	28	40	V
Input current	DC			4.0	A
Input clamping voltage	Ripple -55°C +25°C +125°C	38.9 42.3 44.9	43.2 47.0 49.9	1.0 47.5 51.7 54.8	A _{RMS}
Output voltage ¹	Steady state	$V_{OUT} = V_{IN} - I_{IN} (R_{DC})$		l	W
Output current	Steady state			4.0	Α
DC Resistance (R _{DC})	Steady state	0.07	0.10	0.15	Ω
Power Dissipation	Max. DC current			2.4	W
Noise Reduction	100 KHz to 50 MHz	40			dB
Capacitance	Any pin to case			4200	pF
Isolation	Any pin to case 500V _{DC}	100			МΩ
Operating Temperature Case Storage Temperature Case		-55 -65		+125 +150	°C
Weight				55	g

3.2 Standard Microcircuit Drawing Equivalence Table

Table 4 Standard Microcircuit Drawing Equivalence

Standard microcircuit drawing number	Vendor cage code	IR Standard Part number
91020-01HXA	52467	AFC461/CH
91020-01HZA	52469	AFC461F/CH

-

 $^{^{\}rm 1}$ Typical applications result in $V_{\rm out}$ within 2 % of Vin

An Infineon Technologies Company

Mechanical Outlines

4 Mechanical Outlines

Note: For the most updated package outline, please see the website: AFC461




Figure 3 Package outline

40V Max Input, Single Output

IOR HIRE

Device Screening

5 Device Screening

Requirement	MIL-STD-883 Method	No Suffix	ES@	НВ	СН
Temperature range		-20 to +85°C	-55°C to +125°C	-55°C to +125°C	-55°C to +125°C
Element evaluation	MIL-PRF-38534		NA	NA	Class H
Non-Destructive bond pull	2023	NA	NA	NA	NA
Internal Visual	2017	①	Yes	Yes	Yes
Temperature cycle	1010	NA	Cond B	Cond C	Cond C
Constant acceleration	2001, Y1 Axis	NA	500Gs	3000Gs	3000Gs
PIND	2020	NA	NA	NA	NA
Burn-in	1015	NA	48hrs @ 125°C	160hrs @ 125°C	160hrs @ 125°C
Final electrical (Group A)	MIL-PRF-38534 & Specification	25°C	25°C	-55, +25, +125°C	-55, +25, +125°C
PDA	MIL-PRF-38534	NA	NA	NA	10%
Seal, Fine & Gross	1014	Cond A	Cond A, C	Cond A, C	Cond A, C
Radiographic	2012	NA	NA	NA	NA
External visual	2009	1)	Yes	Yes	Yes


Notes:

- ① Best commercial practice
- ② Sample tests at low and high temperatures



Part Numbering

6 Part Numbering



AFC461 Series

40V Max Input, Single Output



Revision history

Revision history

Document version	Date of release	Description of changes
	11/19/2002	Datasheet (PD-94585)
Rev A	11/21/2002	Updated Case outline
Rev B	09/07/2006	Updated based on ECO-20772
Rev C	05/05/2022	Updated based on ECO-30588

Trademarks

All referenced product or service names and trademarks are the property of their respective owners.

Edition 2022-05-05

Published by

International Rectifier HiRel Products, Inc.

An Infineon Technologies company El Segundo, California 90245 USA

© 2022 Infineon Technologies AG. All Rights Reserved.

Do you have a question about this document?

Email: erratum@infineon.com

Document reference

IMPORTANT NOTICE

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics ("Beschaffenheitsgarantie").

With respect to any examples, hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation warranties of non-infringement of intellectual property rights of any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's products and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of customer's technical departments to evaluate the suitability of the product for the intended application and the completeness of the product information given in this document with respect to such application.

For further information on the product, technology, delivery terms and conditions and prices please contact your nearest Infineon Technologies office (www.infineon.com).

WARNINGS

Due to technical requirements components may contain dangerous substances. For information or the types in question please contact your nearest International Rectifier HiRel Products, Inc., ar Infineon Technologies company, office.

International Rectifier HiRel Components may only be used in life-support devices or systems with the expressed written approval of International Rectifiel HiRel Products, Inc., an Infineon Technologies company, if failure of such components car reasonably be expected to cause the failure of that life-support device or system, or to affect the safety and effectiveness of that device or system.

Infineon Technologies' products may not be used ir any applications where a failure of the product or any consequences of the use thereof can reasonably be expected to result in personal injury.

Life support devices or systems are intended to be implanted in the human body, or to support and/or maintain and sustain and/or protect human life. If they fail, it is reasonable to assume that the health of the user or other persons may be endangered.