

Tin (Sn) Plating, 20-24 AWG	
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 20-24 AWG	<u>2064600022</u>
Micro-Fit+ Crimp Terminal, Female, 0.75µm Gold (Au) Plating, 20-24 AWG	<u>2064600023</u>
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 18 AWG	<u>2064600031</u>
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 18 AWG	<u>2064600032</u>
Micro-Fit+ Crimp Terminal, Female, 0.75µm Gold (Au) Plating, 18 AWG	<u>2064600033</u>
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 16 AWG	<u>2064600041</u>
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 16 AWG	<u>2064600042</u>
Micro-Fit+ Crimp Terminal, Female, 0.75µm Gold (Au) Plating, 16 AWG	<u>2064600043</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	<u>430300001</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	<u>430300002</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	<u>430300003</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 26-30 AWG, Reel	<u>430300004</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 26-30 AWG, Reel	<u>430300005</u>

Micro-Fit 3.0 Crimp 430300006  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Reel

Micro-Fit 3.0 Crimp 430300007  
Terminal, Female,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag

Micro-Fit 3.0 Crimp 430300008  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Bag

Micro-Fit 3.0 Crimp 430300009  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Bag

Micro-Fit 3.0 Crimp 430300010  
Terminal, Female,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430300011  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Bag

Micro-Fit 3.0 Crimp 430300012  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Bag

Micro-Fit 3.0 Crimp 430300038  
Terminal, Female,  
with Tin (Sn)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel

Micro-Fit 3.0 430300039  
Crimp Terminal,  
Female, with 0.38 $\mu$ m  
Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel

Micro-Fit 3.0 430300040  
Crimp Terminal,  
Female, with 0.76 $\mu$ m  
Select Gold (Au)

Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel  
Micro-Fit 3.0 Crimp [430310001](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310002](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310003](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310004](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310005](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310006](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310007](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag  
Micro-Fit 3.0 Crimp [430310008](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag  
Micro-Fit 3.0 Crimp [430310009](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze

Contact, 20-24 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310010

Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze

Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310011

Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated

Phosphor Bronze

Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310012

Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated

Phosphor Bronze

Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310021

Terminal, Male,  
with Tin (Sn)  
Plated Phosphor

Bronze Contact,

18 AWG, .073in /

1.85mm Max

Insulation Outside

Diameter, Reel

Micro-Fit 3.0 430310022

Crimp Terminal,

Male, with 0.38µm

Select Gold (Au)

Plated Phosphor

Bronze Contact,

18 AWG, .073in /

1.85mm Max

Insulation Outside

Diameter, Reel

Micro-Fit 3.0 430310023

Crimp Terminal,

Male, with 0.76µm

Select Gold (Au)

Plated Phosphor

Bronze Contact,

18 AWG, .073in /

1.85mm Max

Insulation Outside

Diameter, Reel

Micro-Fit TPA Crimp 430315003

Terminal, Male, with

Tin (Sn) Pre-plated

Phosphor Bronze

Contact, 20-24 AWG,

Reel

Micro-Fit TPA Crimp 430315004

Terminal, Male,

with 0.38µm Select

Gold (Au) Plated

Phosphor Bronze

Contact, 20-24 AWG,

Reel

Micro-Fit TPA Crimp [430315005](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit TPA Crimp [430315006](#)  
Terminal, Male, with  
2.54µm Matte Tin  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Reel

Micro-Fit TPA Crimp [430315007](#)  
Terminal, Male, with  
Tin (Sn) Pre-plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315008](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315009](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315010](#)  
Terminal, Male, with  
2.54µm Matte Tin  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Reel

Micro-Fit 3.0 Crimp [457730001](#)  
Terminal, Female,  
with Lubricant, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730003](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730006](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730053](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze

Contact, 20-24 AWG,  
Reel

Micro-Fit RMF 462350001

Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.38 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, without  
Lubricant

Micro-Fit RMF 462350002

Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.76 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, without  
Lubricant

Micro-Fit RMF 462350003

Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.38 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
26-30 AWG, without  
Lubricant

Micro-Fit RMF 462350004

Reduced Mating  
Force, Crimp  
Terminal, Female,  
with .0.76 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
26-30 AWG, without  
Lubricant

Micro-Fit RMF 462355001

High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.38 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, with  
Lubricant

Micro-Fit RMF 462355002

High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.76 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, with  
Lubricant

Micro-Fit RMF 462355003

High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.38 $\mu$ m

Selective Gold (Au)

over Nickel (Ni), 26-30 AWG, with Lubricant Micro-Fit RMF High Mating Cycle, Reduced Mating Force, Crimp Terminal, Female, with .0.76µm Selective Gold (Au) over Nickel (Ni), 26-30 AWG, with Lubricant	<u>462355004</u>
1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Reel	<u>500588000</u>
1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Bag	<u>500588100</u>
1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Reel	<u>500798000</u>
1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Bag	<u>500798100</u>
1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Reel	<u>501258000</u>
1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Bag	<u>501258100</u>
1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Reel	<u>501338000</u>
1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Bag	<u>501338100</u>
2.00mm Pitch, Micro- Latch Female Crimp Terminal, Tin (Sn) Plating, 24-30 AWG, Reel	<u>502128000</u>
2.00mm Pitch, Micro- Latch Female Crimp Terminal, Tin (Sn) Plating, 24-30 AWG, Bag	<u>502128100</u>
2.00mm Pitch, Micro- Latch Female Crimp	<u>503728000</u>

Terminal, Tin (Sn)  
Plating, 22-26 AWG,  
Reel  
2.00mm Pitch, Micro-503728100  
Latch Female Crimp  
Terminal, Tin (Sn)  
Plating, 22-26 AWG,  
Bag  
OBD-II Crimp 504208000  
Terminal, Female,  
50420, 4.00mm Pitch  
DuraClik Crimp 5600850101  
Terminal, Female,  
22-26 AWG, Reel

This document was generated on 11/29/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[11-03-0043](#)