



ORDERING INFORMATION					
PART NO.	PART NO.	PACKING CODE	PACKING CODE	PACKAGE	PACKING
	SUFFIX		SUFFIX		
	Н	RU	G	Sub SMA	1,800 / 7" Plastic reel (8mm tape)
		RV		Sub SMA	3,000 / 7" Plastic reel (8mm tape)
S1xL (Note 1)		RT		Sub SMA	7,500 / 13" Paper reel (8mm tape)
		MT		Sub SMA	7,500 / 13" Plastic reel (8mm tape)
		RQ		Sub SMA	10,000 / 13" Paper reel (8mm tape)
		MQ		Sub SMA	10,000 / 13" Plastic reel (8mm tape)
		R3		Sub SMA	1,800 / 7" Plastic reel (12mm tape)
		RF		Sub SMA	3,000 / 7" Plastic reel (12mm tape)
		R2		Sub SMA	7,500 / 13" Paper reel (12mm tape)
		M2		Sub SMA	7,500 / 13" Plastic reel (12mm tape)
		RH		Sub SMA	10,000 / 13" Paper reel (12mm tape)
		MH		Sub SMA	10,000 / 13" Plastic reel (12mm tape)


Note 1: "x" defines voltage from 50V (S1AL) to 1000V (S1ML)

EXAMPLE					
PREFERRED PART NO.	PART NO.	PART NO. SUFFIX	PACKING CODE	PACKING CODE SUFFIX	DESCRIPTION
S1MLHRUG	S1ML	Н	RU	G	AEC-Q101 qualified Green compound

RATINGS AND CHARACTERISTICS CURVES (T_A=25°C unless otherwise noted)














FIG. 5- TYPICAL JUNCTION CAPACITANCE




PACKAGE OUTLINE DIMENSIONS

Sub SMA



DIM.	Unit	(mm)	Unit (inch)		
DIIVI.	Min	Max	Min	Max	
В	1.70	1.90	0.067	0.075	
С	2.70	2.90	0.106	0.114	
D	0.16	0.30	0.006	0.012	
Е	1.23	1.43	0.048	0.056	
F	0.80	1.20	0.031	0.047	
G	3.40	3.80	0.134	0.150	
Н	2.45	2.60	0.096	0.102	
I	0.35	0.85	0.014	0.033	
J	0.00	0.10	0.000	0.004	

SUGGESTED PAD LAYOUT



Symbol	Unit (mm)	Unit (inch)
Α	1.4	0.055
В	1.2	0.047
С	3.1	0.122
D	1.9	0.075
Е	4.3	0.169

MARKING DIAGRAM



P/N = Marking Code

G = Green compound Code

YW = Date Code

F = Factory Code



Notice

Specifications of the products displayed herein are subject to change without notice. TSC or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, to any intellectual property rights is granted by this document. Except as provided in TSC's terms and conditions of sale for such products, TSC assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of TSC products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify TSC for any damages resulting from such improper use or sale.

Document Number: DS_D1410010 Version: O15

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Taiwan Semiconductor:

S1AL S1BL S1DL S1GL S1JL S1KL S1ML S1AL R2 S1BL R2 S1KL R2 S1DL R2 S1GL R2 S1DL RQG
S1JL R3 S1ALHR2G S1DL R2G S1GLHR3 S1GLHR3G S1JL R3G S1ALHR3G S1JLHR2 S1ALHRQ S1AL R2G
S1DL R3G S1AL RQ S1JLHR2G S1JLHR3 S1JL R2G S1BLHR2G S1BL RQ S1AL R3 S1JLHR3G S1GLHR2
S1GLHRQG S1DLHR3G S1GLHR2G S1JLHRQG S1DLHRQG S1DL R3 S1BLHR3 S1BL RQG S1GL RQ S1GL
R2G S1JL RQG S1BL R3G S1DLHRQ S1JL RQ S1GL RQG S1DL RQ S1BLHRQG S1GL R3G S1AL RQG
S1AL R3G S1ALHRQG S1DLHR2G S1KL RQ S1ML R3 S1ML R2G S1MLHR2G S1MLHR2 S1KLHR2
S1MLHR3G S1KLHR3G S1KL RQG S1ML RQ S1MLHRQG S1KLHRQG S1KLHR2G S1ML R3G S1KL R2G
S1ML RQG S1BL R2G S1KL R3G S1BLHR3G S1BLHRQ S1ML R2 S1BL R3 S1GL R3 S1JL R2 S1KL R3G
S1AL RVG S1ALHRTG S1ALHRVG S1DL RTG S1DL RVG S1DL RVG S1DLHRTG S1DLHRVG
S1JLHRTG S1JLHRVG S1JLHRVG S1GL RUG S1GLHRUG S1JL RZG S1JL RUG S1JL RVG
S1MLHRUG S1MLHRVG