




| ORDERING INFORMATION |            |              |                |            |                          |
|----------------------|------------|--------------|----------------|------------|--------------------------|
| PART NO.             | AEC-Q101   | PACKING CODE | GREEN COMPOUND | PACKAGE    | PACKING                  |
|                      | QUALIFIED  |              | CODE           |            |                          |
| RS1x<br>(Note 1)     | Prefix "H" | R3           | Suffix "G"     | SMA        | 1,800 / 7" Plastic reel  |
|                      |            | R2           |                | SMA        | 7,500 / 13" Paper reel   |
|                      |            | M2           |                | SMA        | 7,500 / 13" Plastic reel |
|                      |            | F3           |                | Folded SMA | 1,800 / 7" Plastic reel  |
|                      |            | F2           |                | Folded SMA | 7,500 / 13" Paper reel   |
|                      |            | F4           |                | Folded SMA | 7,500 / 13" Plastic reel |
|                      | N/A        | E3           |                | Clip SMA   | 1,800 / 7" Plastic reel  |
|                      |            | E2           |                | Clip SMA   | 7,500 / 13" Plastic reel |


Note 1: "x" defines voltage from 50V (RS1A) to 1000V (RS1M)


| EXAMPLE       |          |                       |              |                     |                    |
|---------------|----------|-----------------------|--------------|---------------------|--------------------|
| PREFERRED P/N | PART NO. | AEC-Q101<br>QUALIFIED | PACKING CODE | GREEN COMPOUND CODE | DESCRIPTION        |
| RS1M R3       | RS1M     |                       | R3           |                     |                    |
| RS1M R3G      | RS1M     |                       | R3           | G                   | Green compound     |
| RS1MHR3       | RS1M     | Н                     | R3           |                     | AEC-Q101 qualified |


#### **RATINGS AND CHARACTERISTICS CURVES**

(TA=25°C unless otherwise noted)
















#### FIG.6- REVERSE RECOVERY TIME CHARACTERISTIC AND TEST CIRCUIT DIAGRAM






### **PACKAGE OUTLINE DIMENSIONS**



|   |                 |   |          | H |
|---|-----------------|---|----------|---|
|   |                 |   |          |   |
| D |                 |   | <u> </u> |   |
| - | <b>←</b> ►<br>E |   | G        |   |
| _ | <u> </u>        | F |          |   |

| DIM.  | Unit (mm) |      | Unit (inch) |       |
|-------|-----------|------|-------------|-------|
| DIWI. | Min       | Max  | Min         | Max   |
| Α     | 1.27      | 1.58 | 0.050       | 0.062 |
| В     | 4.06      | 4.60 | 0.160       | 0.181 |
| С     | 2.29      | 2.83 | 0.090       | 0.111 |
| D     | 1.99      | 2.50 | 0.078       | 0.098 |
| E     | 0.90      | 1.41 | 0.035       | 0.056 |
| F     | 4.95      | 5.33 | 0.195       | 0.210 |
| G     | 0.10      | 0.20 | 0.004       | 0.008 |
| Н     | 0.15      | 0.31 | 0.006       | 0.012 |

## **SUGGESTED PAD LAYOUT**



| Symbol | Unit (mm) | Unit (inch) |
|--------|-----------|-------------|
| Α      | 1.68      | 0.066       |
| В      | 1.52      | 0.060       |
| С      | 3.93      | 0.155       |
| D      | 2.41      | 0.095       |
| E      | 5.45      | 0.215       |

#### **MARKING DIAGRAM**



P/N = Specific Device Code
G = Green Compound
YW = Date Code
F = Factory Code

Document Number: DS\_D1405049





#### **Notice**

Specifications of the products displayed herein are subject to change without notice. TSC or anyone on its behalf, assumes no responsibility or liability for any errors inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied,to any intellectual property rights is granted by this document. Except as provided in TSC's terms and conditions of sale for such products, TSC assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of TSC products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or seling these products for use in such applications do so at their own risk and agree to fully indemnify TSC for any damages resulting from such improper use or sale.

Document Number: DS\_D1405049 Version: H14

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## Taiwan Semiconductor:

RS1M F3G RS1B R3G RS1G R2G RS1A R3G RS1KHR2 RS1DHF3 RS1GHF3 RS1JHR2 RS1G F3G
RS1JHF3 RS1G R3G RS1GHR2 RS1KHF2 RS1DHR3 RS1BHR2 RS1GHF2 RS1KHF3 RS1AHF3 RS1BHF2
RS1D R3G RS1J R3G RS1JHR3 RS1JHF2 RS1MHR3 RS1MHR2 RS1KHR3 RS1DHF2 RS1B F3G RS1DHR2
RS1MHF2 RS1AHR3 RS1K F3G RS1K R3G RS1M R3G RS1MHF3 RS1BHR3 RS1BHF3 RS1A F3G RS1J F3G
RS1AHR2 RS1AHF2 RS1GHR3 RS1D F3G RS1A F3 RS1K F3 RS1J F3 RS1D F3 RS1D F3 RS1M F3 RS1B
F3 RS1M M2G RS1B M2G RS1K M2G RS1J M2G RS1G M2G RS1D M2G RS1A M2G