Connecting Area		-
Finish of Contact in Terminal Area		-
Finish of Contact in PCB Mounting Area		-
Applicable Cable Type		
Applicable Cable Conductive Area (mm ²)		
Applicable Cable Sheath Diameter (mm)		
Applicable Contacts	M23S05K*	
Use with Accessories	MX23A26XF1,M120-55780	
Applicable Product Part Numbers		
Documents	Drawings 😃	Specifications 🛂
	3D Models >	PDF Download 😃
Stock Search	Sto	ock Search >
RoHS compliant	10 substances (2011/65/EU)	
REACH compliant		
Environment Information	RoHS/Reach Certificate	
Combination	MX23A26NF1 MX23A26NF2	
Remarks		

- The values specified in this web site are only for reference. The
 products and their specifications are subject to change without notice.
 Contact our sales staff for further information before considering or
 ordering any of our products.
 For purchase, a product specification must be agreed upon.
- Please contact us if you are considering use involving a quality
 assurance program that you specify or that is peculiar to the industry.
 Also contact us regarding the details of use, usage, specification
 before considering or ordering any of our products.
- 3. Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

JAE Electronics: MX23A26SF1